



# NMT DIŐ TİCARET ANONİM ŐİRKETİ

New Machine Technologies

Tel: 0212 549 70 74

Web:www.nmtotomasyon.com

The offer and commercial terms you have requested from our company are presented below for your review. We hope that you will find our offer positive and wish you success in your work.

NO	PRODUCT CODE	PRODUCT NAME	QUANTITY	UNIT PRICE	TOTAL PRICE
1	NMT 2200-OSAM	AUTOMATIC STRETCH REWINDER MACHINE (NMT 2200-OSAM) 7 İNC TOUCH SCREEN	1	19.500 €	19.500 €



**GENERAL FEATURES:**

- **FULLY AUTOMATIC WINDING AND COIL CHANGE**
- **UNIT AND METERS REPORTING**
- **FILM AND BOBBIN END SENSOR ITALIAN (DATALOGIC)**
- **CUTTING UNIT WITH HOT WIRE**
- **HIGH SPEED STABLE WINDING**
- **PLC CONTROLLED GERMAN (SIEMENS)**
- **7" TOUCH SCREEN GERMAN (SIEMENS)**
- **PNEUMATIC SYSTEM JAPANESE (SMC)**
- **MADE IN TURKEY**

**Job Description:** Fully automatic stretch transfer machines are machines that transfer Jumbo length 6000 meters stretch film to 200-300 meters hand-held stretch film. In our fully automatic SAM 2200 T model, it automatically cuts the winding film. Then, it automatically inserts the new bobbin into the system and enables working without the need for human beings. It is a very effective product in reducing costs and increasing profits.

**TECHNICAL SPECIFICATIONS**

- Automatic Stretch Wrapping Machine Speed ; **1200 r/min;**
- Winding Time (300m) ; **23sn**
- Roller Width; **600 mm**
- Main Engine; **5.5 Kw**
- Bobbin Diameters; **Ø38-Ø50-Ø76mm**
- Winding Diameter (Max); **150 mm**
- Jumbo Coil Weight (Max); **75 Kg**
- Jumbo Coil Width (Max): **600 mm**
- Fully automatic **winding and bobbin changing**
- Unit and Meter **reporting**
- Film and **core out sensor**
- PLC Unit **German SIEMENS**
- 7" Touchscreen **German SIEMENS**
- Pneumatic System **JAPANESE SMC**
- Cutting with **hot wire**
- Easily adjustable bobbin chamber designed for **different bobbin lengths**
- Weight of Automatic Stretch Wrapping Machine; **1050Kg**
- Automatic Stretch Wrapping Machine Dimensions; **1530 x 1330 x 1850 mm;**  
**Power Supply: 380V | 50HZ | 3PH**



# **NMT** DIŐ TİCARET ANONİM ŐİRKETİ New Machine Technologies

Tel: 0212 549 70 74

Web:www.nmtotomasyon.com

## **Warranty Period;**

The machine is guaranteed for 1 year against manufacturing and workmanship defects. Electrical system parts are under the guarantee of the company that produces the relevant material. Failures that may occur due to poor use conditions, interventions of personnel who have not received adequate training, and unbalanced voltage in the electric current are not covered by the warranty.

## **Education and Care;**

- The operator will be given online training to operate the machine.
- The parts that need attention in Daily, Weekly and Monthly maintenance will be shown to the operator.

## **Work Safety;**

- There will be a residual current protection relay.
- The ground connection of the machine chassis must be made from at least two points.
- Emergency stop button will be located on the front panel of the machine.

## **Commercial Conditions:**

- 1- The production starts with a 50% deposit, the remaining 50% is taken in advance upon delivery of the goods.
- 2- The price does not include VAT.
- 3- Delivery time is 15 work days.
- 4- **The time to start work** is taken as the moment when the payment plan in the offer is made to the **NMT DIŐ TİCARET A.Ő.** company, after the signing of the offer.
- 5- The place of delivery is the facilities of **NMT DIŐ TİCARET A.Ő.** company in Ikitelli, Istanbul.
- 6- Shipping is not included in the price. In case of request, price information can be given by negotiating with the warehouse.
- 7- In the event that the machine breaks down due to user error while under warranty, the cost of materials, travel and food costs in the services belong to the company receiving the service.