

TOP GLOVE

TOP QUALITY, TOP EFFICIENCY

THE WORLD'S LARGEST MANUFACTURER OF GLOVES

STERILE LATEX SURGICAL POWDERED GLOVE



Functional Benefits:

- Optimum choice for general surgical operations for its strong tear resistance
- Elasticity and softness provide superior fit, comfort, dexterity & flexibility
- Fully anatomical design reduces finger fatigue
- Palm textured enhances slip resistance for extra grip and control
- Lightly powdered interior promotes easy donning & doffing
- Beaded cuff makes donning easy and helps prevent roll back



STERILE LATEX SURGICAL POWDERED GLOVE

STERILE LATEX SURGICAL POWDERED GLOVE

Quality Standards

- Manufactured under QSR (GMP), ISO 9001:2015 and ISO 13485:2016 Quality Management System
- Conforms to ASTM D3577, EN455 and ISO 10282 standards
- Complies to PPE Regulation (EU) 2016/425 requirements

Glove Sizes

- 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0
- Size of gloves shall be marked in the check box on the shipping carton with black ink



Product Specifications

- Type** : Latex Surgical Glove, Powdered with USP Grade Absorbable Corn Starch
- Material** : Natural High Grade Rubber Latex
- Colour** : Natural
- Design & Features** : Hand specific, curved fingers, palm textured, beaded cuff
- Sterilization** : Yes
- Storage** : The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight
- Shelf-life** : The gloves shall have shelf life of 5 years from the date of manufacture
- Application** : General Surgery

Physical Dimensions

Dimensions	Standards						
	Top Glove				ASTM D3577	EN 455	ISO 10282
Type	LSGPW	SLPE 9.6g	SLP 9.7g	S290	ALL		
Length (mm)	Min. 280 mm			Min. 290 mm	Min 245 (5.5) Min 265 (6.0 to 9.0)	Min 250 (5.5) Min 260 (6.0 to 6.5) Min 260 (7.0 to 8.0) Min 270 (8.5 to 9.0)	
Palm Width (mm)							
• 5.5	72 ± 4				70 ± 6	72 ± 4	72 ± 4
• 6.0	77 ± 5				76 ± 6	77 ± 5	77 ± 5
• 6.5	83 ± 5				83 ± 6	83 ± 5	83 ± 5
• 7.0	89 ± 5				89 ± 6	89 ± 5	89 ± 5
• 7.5	95 ± 5				95 ± 6	95 ± 5	95 ± 5
• 8.0	102 ± 6				102 ± 6	102 ± 6	102 ± 6
• 8.5	108 ± 6				108 ± 6	108 ± 6	108 ± 6
• 9.0	114 ± 6				114 ± 6	114 ± 6	114 ± 6
Thickness : Single Wall (mm)							
• Finger	Min. 0.10	0.20 ± 0.02	0.21 ± 0.02	0.23 ± 0.02	Min. 0.10	N/A	Smooth area [Min: 0.10]
• Palm	Min. 0.10	0.18 ± 0.02	0.19 ± 0.02	0.21 ± 0.02			Textured area [Min: 0.13]
• Cuff	Min. 0.10	0.16 ± 0.02	0.17 ± 0.02	0.19 ± 0.02			

Physical Properties

Property	ASTM D3577	EN 455	ISO 10282
Tensile Strength (MPa)			
• Before Aging	Min. 24	N/A	N/A
• After Aging	Min. 18	N/A	N/A
Elongation at Break (%)			
• Before Aging	Min. 750	N/A	Min. 700
• After Aging	Min. 560	N/A	Min. 550
Median Force at Break (N)			
• Before Aging	N/A	Min 9	Min 12.5
• After Aging	N/A	Min 9	Min 9.5
Force at 300% Elongation (N)			
• Before Aging	N/A	N/A	Max 2
• After Aging	N/A	N/A	N/A

International Quality Certificate Awarded:



If you have any enquiries on our products, please contact :

TOP GLOVE SALES & CORPORATE OFFICE

Top Glove Tower, 16, Persiaran Setia Dagang, Setia Alam, Seksyen U13, 40170 Shah Alam, Selangor D.E., Malaysia.

+603 3362 3098

+603 3362 5096 (Sales)

SCAN FOR MORE PRODUCT INFORMATION



SCAN TO PROVIDE FEEDBACK AND VISIT OUR WEBSITE



sales@topglove.com.my

https://www.facebook.com/topglovecorp

www.topglove.com

TOP GLOVE

TOP QUALITY, TOP EFFICIENCY

THE WORLD'S LARGEST MANUFACTURER OF GLOVES

STERILE LATEX SURGICAL POWDER FREE GLOVE



Functional Benefits:

- Optimum choice for general surgical operations for its strong tear resistance
- Elasticity and softness provide superior fit, comfort, dexterity & flexibility
- Fully anatomical design reduces finger fatigue
- Palm textured enhances slip resistance for extra grip and control
- Polymer coating interior enables incredible smooth donning
- Beaded cuff makes donning easy and helps prevent roll back



STERILE LATEX SURGICAL POWDER FREE GLOVE

STERILE LATEX SURGICAL POWDER FREE GLOVE

Quality Standards

- Manufactured under QSR (GMP), ISO 9001:2015 and ISO 13485:2016 Quality Management System
- Conforms to ASTM D3577, EN455 and ISO 10282 standards
- Complies to PPE Regulation (EU) 2016/425 requirements

Glove Sizes

- 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0
- Size of gloves shall be marked in the check box on the shipping carton with black ink



Product Specifications

Type	: Latex Surgical Glove, Powder Free, Polymer Coated
Material	: Natural High Grade Rubber Latex
Colour	: Natural
Design & Features	: Hand specific, curved fingers, palm textured, beaded cuff
Sterilization	: Yes
Storage	: The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight
Shelf-life	: The gloves shall have shelf life of 5 years from the date of manufacture
Application	: General Surgery

Physical Dimensions

Dimensions	Standards					
	Top Glove			ASTM D3577	EN 455	ISO 10282
Type	LSGPF	SDKF 9.9g	SKF 11.1g / SKOF 11.1g	ALL		
Length (mm)	Min. 280 mm			Min 245 (5.5) Min 265 (6.0 to 9.0)	Min 250 (5.5) Min 260 (6.0 to 6.5) Min 270 (7.0 to 8.0) Min 280 (8.5 to 9.0)	
Palm Width (mm)						
• 5.5		72 ± 4		70 ± 6	72 ± 4	72 ± 4
• 6.0		77 ± 5		76 ± 6	77 ± 5	77 ± 5
• 6.5		83 ± 5		83 ± 6	83 ± 5	83 ± 5
• 7.0		89 ± 5		89 ± 6	89 ± 5	89 ± 5
• 7.5		95 ± 5		95 ± 6	95 ± 5	95 ± 5
• 8.0		102 ± 6		102 ± 6	102 ± 6	102 ± 6
• 8.5		108 ± 6		108 ± 6	108 ± 6	108 ± 6
• 9.0		114 ± 6		114 ± 6	114 ± 6	114 ± 6
Thickness : Single Wall (mm)						
• Finger	Min. 0.10	0.21 ± 0.02	0.24 ± 0.02	Min. 0.10	N/A	Smooth area [Min: 0.10]
• Palm	Min. 0.11	0.18 ± 0.02	0.21 ± 0.02			Textured area [Min: 0.13]
• Cuff	Min. 0.12	0.16 ± 0.02	0.18 ± 0.02			

Physical Properties

Property	ASTM D3577	EN 455	ISO 10282
Tensile Strength (MPa)			
• Before Aging	Min. 24	N/A	N/A
• After Aging	Min. 18	N/A	N/A
Elongation at Break (%)			
• Before Aging	Min. 750	N/A	Min. 700
• After Aging	Min. 560	N/A	Min. 550
Median Force at Break (N)			
• Before Aging	N/A	Min 9	Min 12.5
• After Aging	N/A	Min 9	Min 9.5
Force at 300% Elongation (N)			
• Before Aging	N/A	N/A	Max 2
• After Aging	N/A	N/A	N/A

International Quality Certificate Awarded:



If you have any enquiries on our products, please contact :

TOP GLOVE SALES & CORPORATE OFFICE

Top Glove Tower, 16, Persiaran Setia Dagang, Setia Alam, Seksyen U13, 40170 Shah Alam, Selangor D.E., Malaysia.

+603 3362 3098

+603 3362 5096 (Sales)

SCAN FOR MORE PRODUCT INFORMATION



SCAN TO PROVIDE FEEDBACK AND VISIT OUR WEBSITE



sales@topglove.com.my

https://www.facebook.com/topglovecorp

www.topglove.com