

STERILE CONTAINER SYSTEMS



1/1 FULL SIZE



3/4 QUARTER SIZE



1/2 HALF SIZE



LARGE SIZE



LONG SIZE



ORSAMTIP Basic model container systems are designed for perfect steam flow and penetration for loads ,suitable to the standards and can be used with single use paper filter or reusable PTFE Teflon filters. The basic model sterilization containers are equipped with silicone coated carrying handles which have 90° mobility and its ergonomic design provides easy and secure carrying facilities. The gaskets inside the lid and filter retainer ensure perfect tightness while locking mechanism of this system provides excellent grip with its flexible structure.

ORSAMTIP Basic model sterilization container systems are manufactured as five different length, width and height and can be supplied with perforated or non-perforated boxes, perforated lids and safety lids for effective external protection . These safety lids do not interfere with sterilization , they provides protection to the perforated lid and the filter system against hard objects, liquids and dust as a second lid and they are easily assembled as shown on photos below. All models and sizes have specific baskets and accessories which can be viewed in following parts.

Assembly and disassembly method of safety lid for safe model containers.



STERILE CONTAINER SYSTEMS

BASIC MODEL





» 1/1 Full Size

1/1 FULL SIZE MODEL

W: 285 mm

L: 600 mm




| Specifications | | Lid (Perforated) | | Safety Lid | |
|----------------|--|----------------------|------------------|----------------------|------------------|
| | | Box (Non Perforated) | Box (Perforated) | Box (Non Perforated) | Box (Perforated) |
| H:110 mm | | OC 010.10 | OC 011.10 | OC 012.10 | OC 013.10 |
| | | OC 020.10 | OC 021.10 | OC 022.10 | OC 023.10 |
| | | OC 030.10 | OC 031.10 | OC 032.10 | OC 033.10 |
| | | OC 040.10 | OC 041.10 | OC 042.10 | OC 043.10 |
| | | OC 050.10 | OC 051.10 | OC 052.10 | OC 053.10 |
| | | OC 060.10 | OC 061.10 | OC 062.10 | OC 063.10 |
| H:135 mm | | OC 010.13 | OC 011.13 | OC 012.13 | OC 013.13 |
| | | OC 020.13 | OC 021.13 | OC 022.13 | OC 023.13 |
| | | OC 030.13 | OC 031.13 | OC 032.13 | OC 033.13 |
| | | OC 040.13 | OC 041.13 | OC 042.13 | OC 043.13 |
| | | OC 050.13 | OC 051.13 | OC 052.13 | OC 053.13 |
| | | OC 060.13 | OC 061.13 | OC 062.13 | OC 063.13 |
| H:155 mm | | OC 010.15 | OC 011.15 | OC 012.15 | OC 013.15 |
| | | OC 020.15 | OC 021.15 | OC 022.15 | OC 023.15 |
| | | OC 030.15 | OC 031.15 | OC 032.15 | OC 033.15 |
| | | OC 040.15 | OC 041.15 | OC 042.15 | OC 043.15 |
| | | OC 050.15 | OC 051.15 | OC 052.15 | OC 053.15 |
| | | OC 060.15 | OC 061.15 | OC 062.15 | OC 063.15 |
| H:205 mm | | OC 010.20 | OC 011.20 | OC 012.20 | OC 013.20 |
| | | OC 020.20 | OC 021.20 | OC 022.20 | OC 023.20 |
| | | OC 030.20 | OC 031.20 | OC 032.20 | OC 033.20 |
| | | OC 040.20 | OC 041.20 | OC 042.20 | OC 043.20 |
| | | OC 050.20 | OC 051.20 | OC 052.20 | OC 053.20 |
| | | OC 060.20 | OC 061.20 | OC 062.20 | OC 063.20 |
| H:255 mm | | OC 010.25 | OC 011.25 | OC 012.26 | OC 013.26 |
| | | OC 020.25 | OC 021.25 | OC 022.26 | OC 023.26 |
| | | OC 030.25 | OC 031.25 | OC 032.26 | OC 033.26 |
| | | OC 040.25 | OC 041.25 | OC 042.26 | OC 043.26 |
| | | OC 050.25 | OC 051.25 | OC 052.26 | OC 053.26 |
| | | OC 060.25 | OC 061.25 | OC 062.26 | OC 063.26 |

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 01.10 | 600 x 272 h:100 mm | 543 x 258 h:83 mm | 2216 g |
| OC 01.11 | 600 x 272 h:116 mm | 543 x 258 h:99 mm | 2362 g |
| OC 01.13 | 600 x 272 h:138 mm | 543 x 258 h:121 mm | 2520 g |
| OC 01.19 | 600 x 272 h:190 mm | 543 x 258 h:173 mm | 2873 g |
| OC 01.23 | 600 x 272 h:235 mm | 543 x 258 h:218 mm | 3290 g |

BOX (non perforated)




outside dimension



outside dimension



inside dimension



| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 00.10 | 600 x 272 h:100 mm | 543 x 258 h:94 mm | 1900 g |
| OC 00.11 | 600 x 272 h:116 mm | 543 x 258 h:110 mm | 2096 g |
| OC 00.13 | 600 x 272 h:138 mm | 543 x 258 h:132 mm | 2205 g |
| OC 00.19 | 600 x 272 h:190 mm | 543 x 258 h:184 mm | 2648 g |
| OC 00.23 | 600 x 272 h:235 mm | 543 x 258 h:229 mm | 3040 g |

PERFORATED LIDS



| code | color | weight |
|---------------|-------|--------|
| OC 011 | | 1310 g |
| OC 021 | | |
| OC 031 | | |
| OC 041 | | |
| OC 051 | | |
| OC 061 | | |

Dimension: 602 x 285 mm

REMOVAL LIDS (non perforated)



| code | color | weight |
|---------------|-------|--------|
| OC 012 | | 1046 g |
| OC 022 | | |
| OC 032 | | |
| OC 042 | | |
| OC 052 | | |
| OC 062 | | |

Dimension: 602 x 285 mm

SAFETY LIDS




| code | color | weight |
|---------------|-------|--------|
| OC 013 | | 1100 g |
| OC 023 | | |
| OC 033 | | |
| OC 043 | | |
| OC 053 | | |
| OC 063 | | |

Dimension: 606 x 288 mm

www.orsamtip.com.tr

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



| code | outside dimension |
|------------------|--------------------|
| OW 010.03 | 540 x 245 h:30 mm |
| OW 010.05 | 540 x 245 h:50 mm |
| OW 010.07 | 540 x 245 h:70 mm |
| OW 010.10 | 540 x 245 h:100 mm |

| | |
|------------------|--------------------|
| OW 020.03 | 480 x 245 h:30 mm |
| OW 020.05 | 480 x 245 h:50 mm |
| OW 020.07 | 480 x 245 h:70 mm |
| OW 020.10 | 480 x 245 h:100 mm |

WIRE BASKET WITH LID




| code | outside dimension |
|------------------|-----------------------|
| OW 011.03 | 540 x 245 h:35 mm |
| OW 011.05 | 540 x 245 h:55 mm |
| OW 011.07 | 540 x 245 h:75 mm |
| OW 011.10 | 540 x 245 h:105 mm |
| OW 011 | ONLY LID, for baskets |

| | |
|------------------|-----------------------|
| OW 021.03 | 480 x 245 h:35 mm |
| OW 021.05 | 480 x 245 h:55 mm |
| OW 021.07 | 480 x 245 h:75 mm |
| OW 021.10 | 480 x 245 h:105 mm |
| OW 021 | ONLY LID, for baskets |

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



| code | outside dimension |
|------------------|--------------------|
| OM 010.05 | 540 x 245 h:50 mm |
| OM 010.07 | 540 x 245 h:70 mm |
| OM 010.10 | 540 x 245 h:100 mm |

| | |
|------------------|--------------------|
| OM 020.05 | 480 x 245 h:50 mm |
| OM 020.07 | 480 x 245 h:70 mm |
| OM 020.10 | 480 x 245 h:100 mm |

WIRE BASKET WITH LID






| code | outside dimension |
|------------------|-----------------------|
| OM 011.05 | 540 x 245 h:55 mm |
| OM 011.07 | 540 x 245 h:75 mm |
| OM 011.10 | 540 x 245 h:105 mm |
| OM 011 | ONLY LID, for baskets |



| | |
|------------------|-----------------------|
| OM 021.05 | 480 x 245 h:55 mm |
| OM 021.07 | 480 x 245 h:75 mm |
| OM 021.10 | 480 x 245 h:105 mm |
| OM 021 | ONLY LID, for baskets |

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET






| | code | outside dimension |
|--|------------------|-----------------------|
| Box and Lid  | OP 011.03 | 546 x 259 h:34 mm |
| | OP 011.05 | 546 x 259 h:54 mm |
| | OP 011.07 | 546 x 259 h:74 mm |
| | OP 011.10 | 546 x 259 h:104 mm |
| Box  | OP 010.03 | 540 x 253 h:40 mm |
| | OP 010.05 | 540 x 253 h:60 mm |
| | OP 010.07 | 540 x 253 h:80 mm |
| | OP 010.10 | 540 x 253 h:110 mm |
| Lid  | OP 011 | ONLY LID, for baskets |



BASKET



| | code | outside dimension |
|--|------------------|-----------------------|
| Box and Lid  | OP 021.03 | 491 x 259 h:34 mm |
| | OP 021.05 | 491 x 259 h:54 mm |
| | OP 021.07 | 491 x 259 h:74 mm |
| | OP 021.10 | 491 x 259 h:104 mm |
| Box  | OP 020.03 | 485 x 253 h:30 mm |
| | OP 020.05 | 485 x 253 h:50 mm |
| | OP 020.07 | 485 x 253 h:70 mm |
| | OP 020.10 | 485 x 253 h:100 mm |
| Lid  | OP 021 | ONLY LID, for baskets |



| code | height |
|---------------|--------|
| OA 916 | 10 mm |



STAND



| code | height |
|---------------|--------|
| OA 915 | 5 mm |



IDENTIFICATION (aluminium)

LABEL HOLDER



code **OA 931**


LABELS



| code | color |
|---------------|--------|
| OA 014 | Grey |
| OA 024 | Yellow |
| OA 034 | Red |
| OA 044 | Blue |
| OA 054 | Green |
| OA 064 | Black |

Coloured identification labels
Engraved to your specification



 Grey coloured recommended for use in low temperature sterilization.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



OA 941.13
540 x 250 x 130 mm
OA 941.18
540 x 250 x 180 mm

WIRE BASE



OA 940.03
545 x 255 x 30 mm

DIVIDERS



OA 942.13
540 x 250 x 130 mm
OA 942.18
540 x 250 x 180 mm

RACK (for endoscopy)



OA 801
505x250x125 mm
• Holds 10 endoscopic instruments
• Fits into a 1/1 size 200 mm deep container
• Wire basket 1/1 50 mm
• Silicone mat 520 x 230 mm

DRAPE RETAINER



OA 967.03
545 x 255 x 30 mm

DRAPE RETAINER



OA 967
545 x 255 mm

ALUMINIUM BASKET (with lid)



OB 01.05
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



OB 01.07
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




OB 01.10
245 x 130 x 105 mm

SILICONE MAT



OA 508
520 x 230 mm
OA 5010
475 x 230 mm







SILICONE MESH MAT



OA 602
485 x 250 mm
OA 603
534 x 247 mm

SILICONE HANDLE



OA 016 
OA 026 
OA 036 
OA 046 
OA 056 
OA 066 

PAPER FILTER




OA 201
Single use 100 pcs
with indicator. Diameter:
184 mm

TEFLON FILTER




OA 101
Number of sterilization
cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




OA 401

IDENTIFICATION LABELS (aluminium)




OA 013 
OA 023 
OA 033 
OA 043 
OA 053 
OA 063 

LABELS (paper)



OA 001
100 pcs. With indicator.
For small size and
special containers

LABELS (paper)



OA 002
100 pcs. With indicator.
For full and
Half size containers



SECURITY SEAL (blue)
OA 742
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)
OA 732
100 pcs. with indicator.
made of plastic



DISPOSAL STAMP
OA 008
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



**AUTO LOCK
MECHANISM**
OA 703
(2 Pcs)



SECURITY SEAL (blue)
OA 741
100 pcs. made of plastic



SECURITY SEAL (red)
OA 731
100 pcs. made of plastic



LABEL HOLDER
OA 007
50 x 35 x 13 mm
Holder for identification
labels

STERILE CONTAINER SYSTEMS

BASIC MODEL




» 3/4 Quarter Size

3/4 MIDDELE SIZE MODEL

W: 285 mm

L: 475 mm




| Specifications | | Lid (Perforated) | Lid (Perforated) | Safety Lid | Safety Lid |
|----------------|--|----------------------|------------------|----------------------|------------------|
| | | Box (Non Perforated) | Box (Perforated) | Box (Non Perforated) | Box (Perforated) |
| H:110 mm | | OC 110.10 | OC 111.10 | OC 112.10 | OC 113.10 |
| | | OC 120.10 | OC 121.10 | OC 122.10 | OC 123.10 |
| | | OC 130.10 | OC 131.10 | OC 132.10 | OC 133.10 |
| | | OC 140.10 | OC 141.10 | OC 142.10 | OC 143.10 |
| | | OC 150.10 | OC 151.10 | OC 152.10 | OC 153.10 |
| | | OC 160.10 | OC 161.10 | OC 162.10 | OC 163.10 |
| H:130 mm | | OC 110.13 | OC 111.13 | OC 112.13 | OC 113.13 |
| | | OC 120.13 | OC 121.13 | OC 122.13 | OC 123.13 |
| | | OC 130.13 | OC 131.13 | OC 132.13 | OC 133.13 |
| | | OC 140.13 | OC 141.13 | OC 142.13 | OC 143.13 |
| | | OC 150.13 | OC 151.13 | OC 152.13 | OC 153.13 |
| | | OC 160.13 | OC 161.13 | OC 162.13 | OC 163.13 |
| H:155 mm | | OC 110.15 | OC 111.15 | OC 112.16 | OC 113.16 |
| | | OC 120.15 | OC 121.15 | OC 122.16 | OC 123.16 |
| | | OC 130.15 | OC 131.15 | OC 132.16 | OC 133.16 |
| | | OC 140.15 | OC 141.15 | OC 142.16 | OC 143.16 |
| | | OC 150.15 | OC 151.15 | OC 152.16 | OC 153.16 |
| | | OC 160.15 | OC 161.15 | OC 162.16 | OC 163.16 |

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 11.10 | 475 x 272 h:100 mm | 422 x 258 h:83 mm | 1792 g |
| OC 11.11 | 475 x 272 h:116 mm | 422 x 258 h:99 mm | 1836 g |
| OC 11.13 | 475 x 272 h:138 mm | 422 x 258 h:121 mm | 1980 g |
| OC 11.18 | 475 x 272 h:185 mm | 422 x 258 h:168 mm | 2240 g |

BOX (non perforated)




outside dimension



outside dimension



inside dimension



| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 10.10 | 475 x 272 h:100 mm | 422 x 258 h:94 mm | 1609 g |
| OC 10.11 | 475 x 272 h:116 mm | 422 x 258 h:110 mm | 1714 g |
| OC 10.13 | 475 x 272 h:138 mm | 422 x 258 h:132 mm | 1842 g |
| OC 10.18 | 475 x 272 h:185 mm | 422 x 258 h:179 mm | 2117 g |

PERFORATED LIDS



| code | color | weight |
|---------------|-------|--------|
| OC 111 | | 1005 g |
| OC 121 | | |
| OC 131 | | |
| OC 141 | | |
| OC 151 | | |
| OC 161 | | |

Dimension: 477 x 285 mm

REMOVAL LIDS (non perforated)



| code | color | weight |
|---------------|-------|--------|
| OC 112 | | 940 g |
| OC 122 | | |
| OC 132 | | |
| OC 142 | | |
| OC 152 | | |
| OC 162 | | |

Dimension: 477 x 285 mm

SAFETY LIDS




| code | color | weight |
|---------------|-------|--------|
| OC 113 | | 903 g |
| OC 123 | | |
| OC 133 | | |
| OC 143 | | |
| OC 153 | | |
| OC 163 | | |


Dimension: 483 x 290 mm

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET



| code | outside dimension |
|------------------|----------------------|
| OW 110.03 | 405 x 245 x h:30 mm |
| OW 110.05 | 405 x 245 x h:50 mm |
| OW 110.07 | 405 x 245 x h:70 mm |
| OW 110.10 | 405 x 245 x h:100 mm |



WIRE BASKET WITH LID



| code | outside dimension |
|------------------|-----------------------|
| OW 111.03 | 405 x 245 h:35 mm |
| OW 111.05 | 405 x 245 h:55 mm |
| OW 111.07 | 405 x 245 h:75 mm |
| OW 111.10 | 405 x 245 h:105 mm |
| OW 111 | ONLY LID, for baskets |




WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



| code | outside dimension |
|------------------|----------------------|
| OM 110.05 | 405 x 246 x h:50 mm |
| OM 110.07 | 405 x 246 x h:70 mm |
| OM 110.10 | 405 x 246 x h:100 mm |



WIRE BASKET WITH LID






| code | outside dimension |
|------------------|-----------------------|
| OM 111.05 | 405 x 246 x h:55 mm |
| OM 111.07 | 405 x 246 x h:75 mm |
| OM 111.10 | 405 x 246 x h:105 mm |
| OM 111 | ONLY LID, for baskets |




BASKET MADE FROM STAINLESS STEEL SHEET


BASKET



| | code | outside dimension |
|--|------------------|-----------------------|
| Box and Lid  | OP 111.03 | 411 x 259 h:34 mm |
| | OP 111.05 | 411 x 259 h:54 mm |
| | OP 111.07 | 411 x 259 h:74 mm |
| | OP 111.10 | 411 x 259 h:104 mm |
| Box  | OP 110.03 | 405 x 253 h:40 mm |
| | OP 110.05 | 405 x 253 h:50 mm |
| | OP 110.07 | 405 x 253 h:70 mm |
| | OP 110.10 | 405 x 253 h:100 mm |
| Lid  | OP 111 | ONLY LID, for baskets |



STAND



IDENTIFICATION (aluminium)

LABEL HOLDER



code **OA 931**


LABELS



Coloured identification labels
Engraved to your specification

| code | color |
|---------------|--------|
| OA 014 | Grey |
| OA 024 | Yellow |
| OA 034 | Red |
| OA 044 | Blue |
| OA 054 | Green |
| OA 064 | Black |



 Grey coloured recommended for use in low temperature sterilization.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



OA 944.08
405 x 250 x 80 mm

OA 944.11
405 x 250 x 110 mm


OA 944.13
405 x 250 x 130 mm

WIRE BASE



OA 943.03
405 x 255 x 30 mm

DIVIDERS



OA 945.08
405 x 250 x 80 mm

OA 945.11
405 x 250 x 110 mm

OA 945.13
405 x 250 x 130 mm

(-)

DRAPE RETAINER



OA 965.03
405 x 255 x 30 mm

DRAPE RETAINER



OA 965
405 x 255 mm

ALUMINIUM BASKET (with lid)



OB 01.05
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



OB 01.07
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)



OB 01.10
245 x 130 x 105 mm


SILICONE MAT



OA 506
380 x 230 mm

OA 507
440 x 230 mm


SILICONE MESH MAT





OA 604
395 x 245 mm


SILICONE HANDLE





OA 016 

OA 026 

OA 036 

OA 046 

OA 056 

OA 066 

PAPER FILTER




OA 201
Single use 100 pcs
with indicator.
• Diameter: 184 mm

TEFLON FILTER



OA 101
Number of sterilization
cycle > 2000
• Diameter: 194 mm


FILTER DISPENSER





OA 401


IDENTIFICATION LABELS (aluminium)





OA 013 

OA 023 

OA 033 

OA 043 

OA 053 

OA 063 

LABELS (paper)



OA 001
100 pcs. With indicator.
For small size and
special containers

LABELS (paper)



OA 002
100 pcs. With indicator.
For full and
Half size containers



SECURITY SEAL (blue)

OA 742
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

OA 741
100 pcs. made of plastic



SECURITY SEAL (red)

OA 732
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

OA 731
100 pcs. made of plastic



DISPOSAL STAMP

OA 008
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



AUTO LOCK MECHANISM

OA 703
(2 Pcs)



LABEL HOLDER

OA 007
50 x 35 x 13 mm
Holder for identification
labels

STERILE CONTAINER SYSTEMS

BASIC MODEL




» 1/2 Half Size

1/2 HALF SIZE MODEL

W: 280 mm

L: 310 mm




| Specifications | | Lid (Perforated) | Lid (Perforated) | Safety Lid | Safety Lid |
|--------------------|--|----------------------|------------------|----------------------|------------------|
| | | Box (Non Perforated) | Box (Perforated) | Box (Non Perforated) | Box (Perforated) |
| Height H:110 mm | | OC 210.10 | OC 211.10 | OC 212.10 | OC 213.10 |
| | | OC 220.10 | OC 221.10 | OC 222.10 | OC 223.10 |
| | | OC 230.10 | OC 231.10 | OC 232.10 | OC 233.10 |
| | | OC 240.10 | OC 241.10 | OC 242.10 | OC 243.10 |
| | | OC 250.10 | OC 251.10 | OC 252.10 | OC 253.10 |
| | | OC 260.10 | OC 261.10 | OC 262.10 | OC 263.10 |
| Height H:130 mm | | OC 210.13 | OC 211.13 | OC 212.13 | OC 213.13 |
| | | OC 220.13 | OC 221.13 | OC 222.13 | OC 223.13 |
| | | OC 230.13 | OC 231.13 | OC 232.13 | OC 233.13 |
| | | OC 240.13 | OC 241.13 | OC 242.13 | OC 243.13 |
| | | OC 250.13 | OC 251.13 | OC 252.13 | OC 253.13 |
| | | OC 260.13 | OC 261.13 | OC 262.13 | OC 263.13 |
| Height H:150 mm | | OC 210.15 | OC 211.15 | OC 212.15 | OC 213.15 |
| | | OC 220.15 | OC 221.15 | OC 222.15 | OC 223.15 |
| | | OC 230.15 | OC 231.15 | OC 232.15 | OC 233.15 |
| | | OC 240.15 | OC 241.15 | OC 242.15 | OC 243.15 |
| | | OC 250.15 | OC 251.15 | OC 252.15 | OC 253.15 |
| | | OC 260.15 | OC 261.15 | OC 262.15 | OC 263.15 |
| Height H:200 mm | | OC 210.20 | OC 211.20 | OC 212.20 | OC 213.20 |
| | | OC 220.20 | OC 221.20 | OC 222.20 | OC 223.20 |
| | | OC 230.20 | OC 231.20 | OC 232.20 | OC 233.20 |
| | | OC 240.20 | OC 241.20 | OC 242.20 | OC 243.20 |
| | | OC 250.20 | OC 251.20 | OC 252.20 | OC 253.20 |
| | | OC 260.20 | OC 261.20 | OC 262.20 | OC 263.20 |
| Height H:250 mm | | OC 210.25 | OC 211.25 | OC 212.26 | OC 213.26 |
| | | OC 220.25 | OC 221.25 | OC 222.26 | OC 223.26 |
| | | OC 230.25 | OC 231.25 | OC 232.26 | OC 233.26 |
| | | OC 240.25 | OC 241.25 | OC 242.26 | OC 243.26 |
| | | OC 250.25 | OC 251.25 | OC 252.26 | OC 253.26 |
| | | OC 260.25 | OC 261.25 | OC 262.26 | OC 263.26 |

Ps: All container measurements cover the outer size of the lids.

BOX (perforated)




outside dimension



outside dimension



inside dimension




| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 21.10 | 310 x 272 h:100 mm | 253 x 258 h:83 mm | 1385 g |
| OC 21.11 | 310 x 272 h:116 mm | 253 x 258 h:99 mm | 1417 g |
| OC 21.13 | 310 x 272 h:138 mm | 253 x 258 h:121 mm | 1590 g |
| OC 21.19 | 310 x 272 h:190 mm | 253 x 258 h:173 mm | 1821 g |
| OC 21.23 | 310 x 272 h:235 mm | 253 x 258 h:218 mm | 1947 g |


BOX (non perforated)




outside dimension



outside dimension



inside dimension



| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 20.10 | 310 x 272 h:100 mm | 253 x 258 h:94 mm | 1267 g |
| OC 20.11 | 310 x 272 h:116 mm | 253 x 258 h:110 mm | 1315 g |
| OC 20.13 | 310 x 272 h:138 mm | 253 x 258 h:132 mm | 1427 g |
| OC 20.19 | 310 x 272 h:190 mm | 253 x 258 h:184 mm | 1660 g |
| OC 20.23 | 310 x 272 h:235 mm | 253 x 258 h:229 mm | 1940 g |

PERFORATED LIDS



| code | color | weight |
|---------------|-------|--------|
| OC 211 | | 727 g |
| OC 221 | | |
| OC 231 | | |
| OC 241 | | |
| OC 251 | | |
| OC 261 | | |

Dimension: 312 x 280 mm

REMOVAL LIDS (non perforated)



| code | color | weight |
|---------------|-------|--------|
| OC 212 | | 629 g |
| OC 222 | | |
| OC 232 | | |
| OC 242 | | |
| OC 252 | | |
| OC 262 | | |

Dimension: 312 x 280 mm

SAFETY LIDS




| code | color | weight |
|---------------|-------|--------|
| OC 213 | | 775 g |
| OC 223 | | |
| OC 233 | | |
| OC 243 | | |
| OC 253 | | |
| OC 263 | | |

Dimension: 317 x 285 mm

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET




| code | outside dimension |
|------------------|----------------------|
| OW 210.03 | 246 x 246 x h:30 mm |
| OW 210.05 | 246 x 246 x h:50 mm |
| OW 210.07 | 246 x 246 x h:70 mm |
| OW 210.10 | 246 x 246 x h:100 mm |

WIRE BASKET WITH LID



| code | outside dimension |
|------------------|-----------------------|
| OW 211.03 | 246 x 246 h:35 mm |
| OW 211.05 | 246 x 246 h:55 mm |
| OW 211.07 | 246 x 246 h:75 mm |
| OW 211.10 | 246 x 246 h:105 mm |
| OW 211 | ONLY LID, for baskets |


WIRE BASE



| code | outside dimension |
|---------------|-------------------|
| OW 210 | 255 x 255 x 30 mm |



WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET



| code | outside dimension |
|------------------|----------------------|
| OM 210.05 | 246 x 246 x h:50 mm |
| OM 210.07 | 246 x 246 x h:70 mm |
| OM 210.10 | 246 x 246 x h:100 mm |

WIRE BASKET WITH LID








| code | outside dimension |
|------------------|-----------------------|
| OM 211.05 | 246 x 246 x h:55 mm |
| OM 211.07 | 246 x 246 x h:75 mm |
| OM 211.10 | 246 x 246 x h:105 mm |
| OM 211 | ONLY LID, for baskets |

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET



| | code | outside dimension |
|--|------------------|-----------------------|
| Box and Lid  | OP 211.03 | 250 x 259 h:34 mm |
| | OP 211.05 | 250 x 259 h:54 mm |
| | OP 211.07 | 250 x 259 h:74 mm |
| | OP 211.10 | 250 x 259 h:104 mm |
| Box  | OP 210.03 | 244 x 253 h:30 mm |
| | OP 210.05 | 244 x 253 h:50 mm |
| | OP 210.07 | 244 x 253 h:70 mm |
| | OP 210.10 | 244 x 253 h:100 mm |
| Lid  | OP 211 | ONLY LID, for baskets |



| code | height |
|---------------|--------|
| OA 916 | 10 mm |



STAND



| code | height |
|---------------|--------|
| OA 915 | 5 mm |



IDENTIFICATION (aluminium)

LABEL HOLDER



code **OA 931**


LABELS



Coloured identification labels
Engraved to your specification

| code | color |
|---------------|--------|
| OA 014 | Grey |
| OA 024 | Yellow |
| OA 034 | Red |
| OA 044 | Blue |
| OA 054 | Green |
| OA 064 | Black |



 Grey coloured recommended for use in low temperature sterilization.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



OA 947.13
255 x 245 x 130 mm
OA 947.18
255 x 245 x 180 mm

WIRE BASE



OA 946.03
255 x 255 x 30 mm

(-)

RACK (for kerrison)



OA 821
220 x 250 x 160 mm
• Holds 10 kerrison punches
• Fits into a 1/2 and 1/1 size
• 200 mm deep container
• Wire basket 1/2 H:50 mm
• Wire basket 1/1 H:50 mm
• Container 1/2 H: 200 mm
• Container 1/1 H:200 mm

DRAPE RETAINER



OA 963.03
255 x 255 x 30 mm

DRAPE RETAINER



OA 963
255 x 255 mm

ALUMINIUM BASKET (with lid)



OB 01.05
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



OB 01.07
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




OB 01.10
245 x 130 x 105 mm

SILICONE MAT



OA 503
250 x 235 mm







SILICONE MESH MAT



OA 601
250 x 240 mm

SILICONE HANDLE



OA 016 
OA 026 
OA 036 
OA 046 
OA 056 
OA 066 

PAPER FILTER




OA 201
Single use 100 pcs with indicator.
• Diameter: 184 mm

TEFLON FILTER




OA 101
Number of sterilization cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




OA 401

IDENTIFICATION LABELS (aluminium)



OA 013 
OA 023 
OA 033 
OA 043 
OA 053 
OA 063 


LABELS (paper)



OA 001
100 pcs. With indicator.

For small size and special containers

LABELS (paper)



OA 002
100 pcs. With indicator.

For full and Half size containers



SECURITY SEAL (blue)

OA 742
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

OA 741
100 pcs. made of plastic



SECURITY SEAL (red)

OA 732
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

OA 731
100 pcs. made of plastic



DISPOSAL STAMP

OA 008
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



AUTO LOCK MECHANISM

OA 703
(2 Pcs)



LABEL HOLDER

OA 007
50 x 35 x 13 mm
Holder for identification labels

STERILE CONTAINER SYSTEMS

BASIC MODEL




» Large Size

LARGE SIZE MODEL



W: 372 mm


L: 600 mm



| Specifications | | Lid (Perforated) | |
|------------------|-----------|----------------------|------------------|
| | | | |
| Height | | Box (Non Perforated) | Box (Perforated) |
| | H: 120 mm | | OC 310.12 |
| OC 320.12 | | | OC 321.12 |
| OC 330.12 | | | OC 331.12 |
| OC 340.12 | | | OC 341.12 |
| OC 350.12 | | | OC 351.12 |
| OC 360.12 | | | OC 361.12 |
| H: 185 mm | | OC 310.18 | OC 311.18 |
| | | OC 320.18 | OC 321.18 |
| | | OC 330.18 | OC 331.18 |
| | | OC 340.18 | OC 341.18 |
| | | OC 350.18 | OC 351.18 |
| | | OC 360.18 | OC 361.18 |


Ps: All container measurements cover the outer size of the lids.

BOX (perforated)



| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 31.10 | 600 x 365 h:105 mm | 543 x 350 h:88 mm | 2480 g |
| OC 31.16 | 600 x 365 h:167 mm | 543 x 350 h:150 mm | 3122 g |

BOX (non perforated)



| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 30.10 | 600 x 365 h:105 mm | 543 x 350 h:99 mm | 2271 g |
| OC 30.16 | 600 x 365 h:167 mm | 543 x 350 h:161 mm | 2856 g |

PERFORATED LIDS

Dimension: 602 x 370 mm



| code | color | weight |
|---------------|-------|--------|
| OC 311 | | 1076 g |
| OC 321 | | |
| OC 331 | | |
| OC 341 | | |
| OC 351 | | |
| OC 361 | | |

REMOVAL LIDS (non perforated)

Dimension: 602 x 370 mm




| code | color | weight |
|---------------|-------|--------|
| OC 312 | | 1405 g |
| OC 322 | | |
| OC 332 | | |
| OC 342 | | |
| OC 352 | | |
| OC 362 | | |

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



| code | outside dimension |
|------------------|--------------------|
| OW 310.05 | 533 x 337 h:50 mm |
| OW 310.07 | 533 x 337 h:70 mm |
| OW 310.10 | 533 x 337 h:100 mm |



WIRE BASKET WITH LID



| code | outside dimension |
|------------------|-----------------------|
| OW 311.05 | 533 x 337 h:55 mm |
| OW 311.07 | 533 x 337 h:75 mm |
| OW 311.10 | 533 x 337 h:105 mm |
| OW 311 | ONLY LID, for baskets |



IDENTIFICATION (aluminium)

LABEL HOLDER



code **OA 931**

LABELS



| code | color |
|---------------|--------|
| OA 014 | Grey |
| OA 024 | Yellow |
| OA 034 | Red |
| OA 044 | Blue |
| OA 054 | Green |
| OA 064 | Black |

Coloured identification labels
Engraved to your specification







➡ Grey coloured recommended for use in low temperature sterilization.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET



| | code | outside dimension |
|---|------------------|-----------------------|
| Box and Lid  | OP 311.03 | 539 x 346 h:34 mm |
| | OP 311.05 | 539 x 346 h:54 mm |
| | OP 311.07 | 539 x 346 h:74 mm |
| | OP 311.10 | 539 x 346 h:104 mm |
| Box  | OP 310.03 | 533 x 340 h:30 mm |
| | OP 310.05 | 533 x 340 h:50 mm |
| | OP 310.07 | 533 x 340 h:70 mm |
| | OP 310.10 | 533 x 340 h:100 mm |
| Lid  | OP 311 | ONLY LID, for baskets |



| code | height |
|---------------|--------|
| OA 916 | 10 mm |



STAND

| code | height |
|---------------|--------|
| OA 915 | 5 mm |



DIVIDERS



OA 948.07
533 x 337 x70 mm

OA 948.12
533 x 337 x 120 mm

(-)

DIVIDERS



OA 949.07
533 x 337 x70 mm

OA 949.12
533 x 337 x 120 mm

(-)

DRAPE RETAINER



OA 966.03
533 x 337 x 30 mm


DRAPE RETAINER



OA 966
533 x 337 mm

(-)







SILICONE MESH MAT



OA 605
527 x 335 mm

SILICONE HANDLE



OA 016 
OA 026 
OA 036 
OA 046 
OA 056 
OA 066 

ALUMINIUM BASKET (with lid)



OB 01.05
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



OB 01.07
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)



OB 01.10
245 x 130 x 105 mm

PAPER FILTER




OA 201
Single use 100 pcs
with indicator.
Diameter: 184 mm

TEFLON FILTER




OA 101
Number of sterilization
cycle > 2000
• Diameter: 194 mm







FILTER DISPENSER




OA 401

IDENTIFICATION LABELS (aluminium)



OA 013 
OA 023 
OA 033 
OA 043 
OA 053 
OA 063 

LABELS (paper)



OA 001
100 pcs. With indicator.

For small size and
special containers

LABELS (paper)



OA 002
100 pcs. With indicator.

For full and
Half size containers



SECURITY SEAL (blue)

OA 742
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

OA 741
100 pcs. made of plastic



SECURITY SEAL (red)

OA 732
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

OA 731
100 pcs. made of plastic



DISPOSAL STAMP

OA 008
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



AUTO LOCK MECHANISM

OA 703
(2 Pcs)



LABEL HOLDER

OA 007
50 x 35 x 13 mm
Holder for identification
labels

STERILE CONTAINER SYSTEMS

BASIC MODEL





» Long Size

LONG SIZE MODEL



W: 285 mm

L: 725 mm




| Specifications | | Lid (Perforated) | |
|------------------|------------------|----------------------|------------------|
| | | Box (Non Perforated) | Box (Perforated) |
| H: 140 mm | | OC 410.14 | OC 411.14 |
| | | OC 420.14 | OC 421.14 |
| | | OC 430.14 | OC 431.14 |
| | | OC 440.14 | OC 441.14 |
| | | OC 450.14 | OC 451.14 |
| | | OC 460.14 | OC 461.14 |
| | | H: 205 mm | |
| OC 420.20 | OC 421.20 | | |
| OC 430.20 | OC 431.20 | | |
| OC 440.20 | OC 441.20 | | |
| OC 450.20 | OC 451.20 | | |
| OC 460.20 | OC 461.20 | | |

Ps: All container measurements cover the outer size of the lids.


BOX (perforated)




outside dimension



outside dimension



inside dimension




| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 41.12 | 725 x 272 h:127 mm | 687 x 258 h:110 mm | 2646 g |
| OC 41.19 | 725 x 272 h:192 mm | 687 x 258 h:175 mm | 3136 g |


BOX (non perforated)




outside dimension



outside dimension



inside dimension



| code | outside dimension | inside dimension | weight |
|-----------------|--------------------|--------------------|--------|
| OC 40.12 | 725 x 272 h:127 mm | 687 x 258 h:121 mm | 2446 g |
| OC 40.19 | 725 x 272 h:192 mm | 687 x 258 h:186 mm | 2974 g |

PERFORATED LIDS

Dimension: 726 x 285 mm



| code | color | weight |
|---------------|-------|--------|
| OC 411 | | 1348 g |
| OC 421 | | |
| OC 431 | | |
| OC 441 | | |
| OC 451 | | |
| OC 461 | | |

REMOVAL LIDS (non perforated)


Dimension: 726 x 285 mm



| code | color | weight |
|---------------|-------|--------|
| OC 412 | | 1287 g |
| OC 422 | | |
| OC 432 | | |
| OC 442 | | |
| OC 452 | | |
| OC 462 | | |


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET



| code | outside dimension |
|------------------|--------------------|
| OW 410.05 | 665 x 250 h:50 mm |
| OW 410.07 | 665 x 250 h:70 mm |
| OW 410.10 | 665 x 250 h:100 mm |

WIRE BASKET WITH LID



| code | outside dimension |
|------------------|-----------------------|
| OW 411.05 | 665 x 250 h:55 mm |
| OW 411.07 | 665 x 250 h:75 mm |
| OW 411.10 | 665 x 250 h:105 mm |
| OW 411 | ONLY LID, for baskets |

IDENTIFICATION (aluminium)

LABEL HOLDER



code **OA 931**

LABELS



| code | color |
|---------------|--------|
| OA 014 | Grey |
| OA 024 | Yellow |
| OA 034 | Red |
| OA 044 | Blue |
| OA 054 | Green |
| OA 064 | Black |

Coloured identification labels
Engraved to your specification







➔ Grey coloured recommended for use in low temperature sterilization.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET



| | code | outside dimension |
|---|------------------|-----------------------|
| Box and Lid  | OP 411.03 | 671 x 259 h:34 mm |
| | OP 411.05 | 671 x 259 h:54 mm |
| | OP 411.07 | 671 x 259 h:74 mm |
| | OP 411.10 | 671 x 259 h:104 mm |
| Box  | OP 410.03 | 665 x 253 h:30 mm |
| | OP 410.05 | 665 x 253 h:50 mm |
| | OP 410.07 | 665 x 253 h:70 mm |
| | OP 410.10 | 665 x 253 h:100 mm |
| Lid  | OP 411 | ONLY LID, for baskets |



| code | height |
|---------------|--------|
| OA 916 | 10 mm |




STAND



| code | height |
|---------------|--------|
| OA 915 | 5 mm |

RACK (for endoscopy)



OA 802
550 x 250 x 130 mm

- Holds 10 endoscopic instruments
- Fits into a Long size 18 cm deep container
- Wire basket Long 50 mm
- Container Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK (for kerrison)



OA 821
220 x 250 x 160 mm

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 H:200 mm and Long size 18 cm deep container
- Wire basket 1/2 ,H:50 mm
- Wire basket 1/1 ,H:50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket long ,H 50 mm
- Container Long Size 180 mm

DIVIDERS




OA 941.13
540 x 250 x 130 mm
OA 941.18
540 x 250 x 180 mm

WIRE BASE



OA 940.03
545 x 255 x 30 mm

DIVIDERS



OA 942.13
540 x 250 x 130 mm
OA 942.18
540 x 250 x 180 mm

ALUMINIUM BASKET (with lid)



OB 01.05
245 x 130 x 55 mm

ALUMINIUM BASKET (with lid)



OB 01.07
245 x 130 x 70 mm

ALUMINIUM BASKET (with lid)




OB 01.10
245 x 130 x 105 mm

SILICONE MAT



OA 504
340 x 230 mm
(2 pcs)

SILICONE MESH MAT



OA 606
658 x 247 mm

SILICONE HANDLE



| | |
|---------------|--|
| OA 016 | |
| OA 026 | |
| OA 036 | |
| OA 046 | |
| OA 056 | |
| OA 066 | |

PAPER FILTER




OA 201
Single use 100 pcs
with indicator.
• Diameter: 184 mm

TEFLON FILTER



OA 101
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER




OA 401

IDENTIFICATION LABELS (aluminium)



| | |
|---------------|--|
| OA 013 | |
| OA 023 | |
| OA 033 | |
| OA 043 | |
| OA 053 | |
| OA 063 | |

LABELS (paper)



OA 001
100 pcs. With indicator.
For small size and
special containers

LABELS (paper)



OA 002
100 pcs. With indicator.
For full and
Half size containers



SECURITY SEAL (blue)

OA 742
100 pcs. with indicator.
made of plastic



SECURITY SEAL (blue)

OA 741
100 pcs. made of plastic



SECURITY SEAL (red)

OA 732
100 pcs. with indicator.
made of plastic



SECURITY SEAL (red)

OA 731
100 pcs. made of plastic



DISPOSAL STAMP

OA 008
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



AUTO LOCK MECHANISM

OA 703
(2 Pcs)



LABEL HOLDER

OA 007
50 x 35 x 13 mm
Holder for identification
labels



*Kirazlık Mah.Örnek San.Sit.1029 Sk. No:33,
TEKKEKÖY / SAMSUN / TURKEY*



+90 362 275 11 68



www.orsamtip.com.tr



+90 553 311 73 07



*info@orsamtip.com.tr
sales@orsamtip.com.tr*