



MANUAL PALLET TRUCK

2500 KG








Long lasting high quality wheels



Ergonomic and comfortable handle with anti-slippery coverage



Strong chassis design



VDI 2198

DESCRIPTION			
1.2 MODEL			YPT25
1.3 DRIVE			MANUAL
1.4 OPERATOR TYPE			PEDESTRIAN
1.5 LOAD CAPACITY	Q	kg	2500
1.6 LOAD CENTRE DISTANCE	С	mm	600
1.8 LOAD DISTANCE, CENTRE OF DRIVE AXLE TO FORK	X	mm	942
1.9 WHEEL BASE	у	mm	1188
WEIGHTS			
2.1 SERVICE WEIGHT		kg	74,75
2.2 AXLE LOAD LADED, FRONT/REAR		kg	742/1833
2.3 AXLE LOAD UNLADEN, FRONT/REAR		kg	51/24
TYRES/CHASSIS			
3.1 TYRES*			P/N
3.2 TYRE SIZE, FRONT (Ø x width)			Ø200x50 - Ø180x50
3.3 TYRE SIZE, REAR (Ø x width)			Ø80x90 - Ø80x70
3.5 WHEELS, NUMBER (x=DRIVEN) FRONT/REAR	b10	mm	2/4 - 2/2
3.6 TREAD, FRONT	b11	mm	128
3.7 TREAD, REAR			380
DIMENSIONS			
4.4 LIFT	h3	mm	115
4.9 HEIGHT OF TILLER IN DRIVE POSITION MIN/MAX	h14	mm	600/1225
4.15 HEIGHT, LOWERED	h13	mm	85
4.19 OVERALL LENGTH	l1	mm	1550
4.20 LENGHT TO FACE OF FORKS	l2	mm	400
4.21 OVERALL WIDTH	b1	mm	540
4.22 FORK DIMENSIONS	s/e/l	mm	50/160/1150
4.25 DISTANCE BETWEEN FORK ARMS	b5	mm	540
4.32 GROUND CLEARANCE, CENTRE OF WHEEL BASE	m2	mm	35
4.34 AISLE WIDTH FOR PALLETS 800x1200 LENGHTWISE	Ast	mm	1805
4.35 TURNING RADIUS	Wa	mm	1347
PERFORMANCE DATA			
5.1 TRAVEL SPEED, LADEN/UNLADEN		m/s	4/4,50
5.3 LOWERING SPEED, LADEN/UNLADEN		m/s	0,06/0,02

 $^{^*\}mathsf{P}\text{=}\mathsf{Polyurethane};\,\mathsf{N}\text{=}\mathsf{Nylon}$





YPT25 ALTERNATIVES

MODEL	FORK LENGTH (mm)	OVERALL WIDTH (mm)	OVERALL LENGTH (mm)	SERVICE WEIGHT (kg)*
ҮРТ25	600	540	1000	49 - 58
	800	540	1200	53 - 62
	1000	540	1400	59 - 68
	1150	540	1550	63 - 72
	1150	685**	1550	**
	1220**	540	1620	**
	1500**	540	1900	**

Capacity: 2500 kgTyre Types: PU - Nylon - Rubber**Height Lowered: 85 mmSteering Wheels: $\emptyset 200 \times 50 - \emptyset 180 \times 50$ Lift Height: 115 mmLoad Wheels: $\emptyset 80 \times 70 - 80 \times 90$

Ground Clearance: 35 mm Wheel # Steer/Load : 2/4 - 2/2



Tandem or Single Load Wheels



^{*} Service Weight depends on the wheel type requested

^{**} Released soon



YAPARLAR is expanding it's product range in the material handling equipment sector. The Company applies the same core values and high industry standards in this new sector through offering of various hand trolleys and hand pallet trucks. YAPAR YPT25 is one of the best well-designed equipment in this range.

CE

Conforms to EN ISO3691-5 Based on Directive 2006/42/EC

ISO 9001 ISO 14001 ISO 45001



























YAPARLAR İNŞAAT VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

Head Office and İstanbul Factory:

Cebeci Cad. No. 115 Küçükköy 34250 İstanbul / TÜRKİYE T. +90 212 477 27 37 F. +90 212 538 00 25 info@yaparlar.com / export@yaparlar.com

Malatya Factory:

2. Organize Bölgesi 2. Cad. No:8 Yeşilyurt - Malatya / TÜRKİYE

yaparlar.com







f > ⊘ ○ In /yaparlarcomtr

