



**BIOCLIMATIC TECHNICAL
CATALOG**





ABOUT US

Pinar Tente was established in 1994 in Adana. It is a company that has been operating in the field of shading systems from Turkey to the world for nearly 30 years, with its innovative approach and personalized manufacturing infrastructure, in a 10,000 m² closed area, with 135 expert personnels.


Undoubtedly, we owe our success to our expert team who manufacture shading systems regularly with the needs of our customers and ensure that your indoor and outdoor spaces are used for years. Bringing its regional and national achievements to the global arena with more than 30 years of experience, Pinar Tente has been operating in more than 21 countries since 2012. As Pinar Tente, we continue to work with our Yude Trading brand by expanding to the world in order to continue our success in the coming years with the awning types we have produced and to provide better service to our customers.

Our Purpose: To enrich the spaces of our consumers and producers with innovative solutions, taking into account the welfare of future generations and the environment.

LAMEL HAREKETİ
LAMELLA MOVEMENT


Lamellerin 0° ile 90° arasında serbest dönüşü, farklı zamanlarda pergolanın maksimum hava kullanımı sağlar.

Provides maximum air using of the pergola at different times, maximum air pergola at different times provides usage.



45°

Güneş ışığının girmesine izin verir, yine de aydınlatmayı kontrol eder.
Allows the sunlight to enter, still controls the lighting




90°

Güneş ışığının tam olarak kullanılmasına izin verir.
Permits full use of the sunlight.

LAMEL HAREKETİ
LAMELLA MOVEMENT


Panjurların 0° ile 90° arasında serbest dönüşü, farklı zamanlarda pergolanın maksimum hava kullanımı sağlar.

Provides maximum air using of the pergola at different times, maximum air pergola at different times provides usage.



0°

Çatı kapalı kalır ve koruma sağlar her türlü hava koşulundan.
The roof remains closed, Provides protection from all weather conditions.




5°

Olsa bile alanın havalandırılmasına izin verir yağmurlu veya kar yağıyor.
Provide the ventilation of the area even if it is raining or snowing.

YAĞMUR SUYU DRENAJ SİSTEMİ
RAINWATER DRAINAGE SYSTEM



SUYUN İNİŞ YÖNÜ
LANDING OF WATER




SUYUN İNİŞ YÖNÜ
DIRECTION OF WATER

SUYUN ÇIKIŞI
WATER OUTLET


PROFİLLER PROFILES

BİOKLİMATİK PERGOLA SİSTEMİ


- 10-10911
- Alt Oluk Profili / Bottom Gutter Profile
- 3.015 kg/m




- 10-10910
- Yan Oluk Profili / Side Gutter Profile
- 3.562 kg/m




- 10-10909
- Oluk Ek Profili / Gutter Joint Profile
- 0.746 kg/m




- 10-10921
- Panel Profili / Panel Profile
- 2.898 kg/m




- 10-10974
- Hareketli Ray Profili / Moving Rail Profile
- 1.493 kg/m




- 10-10943
- Sabit Ray Profili / Stable Rail Profile
- 4.578 kg/m



- 10-10941
- Ayak Kapak Profili / Counterfort Cover Profile
- 0.951 kg/m



- 10-10942
- Ayak Profili / Counterfort Profile
- 3.841 kg/m





www.pinartente.com.tr

Sarıhamzalı Mahallesi 47091
Sokak Hurdacılar Sitesi No:1/f-g,
01355 Seyhan/Adana



www.yudetrading.com

Onur Mah. Tekel Cad.
Kıza İş Merkezi A-1 Blok No:1/702,
01100 Seyhan/Adana

