

UNPACK THE INNOVATIVE TECHNOLOGIES

SPINNER 450 S






Edda Spinner series of Horizontal Stretch Wrapping Machine with various models are well-known as the best solutions of packaging needs.

All models are equipped with the latest technology. By the durable mechanical structure and required systems for operator safety, this machines compliance with European Union safety directives and are certified with CE Certificate. All standard components which used in machine are the best in their field as worldwide trademarks.

These machines are developed for a long and trouble-free servicing life and are produced with well-know, best quality components by our qualified staff.

Edda Spinner Series packing machines are intented for easy packing of the products by the PE bubble nylon, PE foam film and PE strecth film materials.






TECHNICAL FEATURES





CONVEYOR BELT'S FEATURES

Useful Lenght	mm/inch	1820	$71^{21}/_{32}$
Total Lenght	mm/inch	2000	7847/4
Working Height	mm/inch	901	3515/,"
Electric Motor Power	kW	0,55	
Max. Conveyor Speed	meter/min.	15	
Max. Load Capacity	kgs/meter	100	



PRODUCT TO WRAP SIZES

Max. Length		Unlimited
Min. Dimensions (Width x Height x Lenght)	mm/inch	100 x 18 x 600* $3^{15}/_{6}^{*} \times 4^{5}/_{64}^{*} \times 23^{5}/_{8}^{*}$ * With Short Part Nail

STRETCH FILM FEATURES

Max. Width	mm/inch	170	611/1.	
Max. Diameter	mm/inch	Ø 230	9 1/1	(Max. Weight: 3 kg.)
Reel Core Diameter	mm/inch	Ø 76	263/,"	
Recommended Thickness	micron	23, 30, 35)	

MACHINE GENERAL FEATURES

Main Motor Power	kW	1,1
Max. Ring Rotation Speed	rpm	160
Min. Ring Rotation Speed	rpm	40
Standard Machine Dimensions (WXHXL)	mm/inch	1571 x 1593 x 4220 61 2/3 x 62 1/1 x 166 164
Total Weight	kg	590
*Electric Supply	Volt - Hz	380 Volt - 50/60 Hz - 3P + 1N + 1G
Total Power	kW	2,3

208 Volt, 380 Volt, 415 Volt, 480 Volt 50/60 Hz (optional)



The machine is equipped with improved component that allow the machine to work accurately, without failure and for a long time.



Stretch Film Cutting Unit



Stretch Film Carriage Unit



Top Press



Motorized Conveyors

DO YOU

know which equipment is included



Foot Pedal Switch



HMI Touch Panel



Some useful optional equipment. You can search for more with us.



Heavy Duty Roller Conveyor Motorized / Non - motorized



Pneumatic Lifter Conveyor





Fork - Lift Reel Table







Scissor Lift Roller Table



Different Length Motorized Conveyor







Non - Motorized Reel Conveyor







Double stretch film cartridge



Automatic Centering Side Press



Labeling Conveyor





Keep your products in safe!

Flexible and universal packaging solutions for many industries. From small productions to huge manufacturing areas. Our team will help you to search the optimal equipment for your production needs.









Parquet



Metal

Door jumb

WHICH sector is yours



Advantage contents applicable to carton box machine.



Productivity;

Provides reduction in energy consumption and cost of packaging materials.



Practicality;

User-friendly touch panel has 5 different operating modes and recipes.



Ergonomics;

It provides easy adjusment of the machine parameters by touch panel screen.



Protection;

Optimal protection of products from external factors, reducing damages during transportation.



Immutability;

It provides an uniform shape of the packaging standard for all products.



Flexibility;

It allows to pack workpieces with different heights, lengths and thickness.



Strength:

It contains the long-lasting parts for serial usage and operation.







We have strong references and partners in many countries who provide all technical service, installation, training and spare part support. Our main principle is provide the immediate support.

We are servicing at

CONTINENTS

WHEREwe

are

w w w . e d d a p a c k . c o m



Büyükbalıklı Mah. 1. Ayça Sokak No: 6, 16110, Nilüfer / BURSA / TÜRKİYE

***** +90 850 308 67 41

info@eddapack.com

www.eddapack.com

