

# UNPACK THE INNOVATIVE TECHNOLOGIES SEAL MASTER





SEALMASTER box sealing machine provides economical and high quality bonding of the front, back and side covers of the FEFCO 410 box model, in which the product is placed in full automatic mode, together with the HOT MELT application.

Boxes of different widths moving in the direction of the material line flow, thanks to the automatic box measurement feature at the machine entrance, their widths are determined and communication with the machine is ensured.

In combination with the various HOT MELT application heads, the glue line is precisely applied to the desired location, at the right length and in the right amount. For this reason, it can be adapted to customer requirements in the most appropriate way and reduces costs.





### TECHNICAL FEATURES



#### FEFCO-0410 BOX STYLE

#### **MACHINE GENERAL FEATURES**

Suitable Box Style		FEFCO 410	
Sealing Station		3	
Min. & Max. Cardboard Width	mm/inch	100 - 1200	315/16 - 471/4"
Min. & Max. Cardboard Length	mm/inch	300 - 2800	1113/16- 11015/16
Min. & Max. Cardboard Height	mm/inch	28 - 250	$1^{37}/_{64}$ - $9^{27}/_{32}$
Tank Capacity	L	4 ( Optional 8 )	
Max. Tank Pump Capacity	kg/h	8	
Tank Working Temperature Range	°C	20 - 210	
Dimensions ( W x L x H )	mm/inch	1950 x 9550 x 1950	$76^{49}/_{64}^{6} \times 375^{63}/_{64}^{6} \times 76^{49}/_{64}^{6}$
*Electric Supply	Volt - Hz	380 Volt - 50/60 Hz - 3P+1N+1G	
Total Power	kW	8	
Total Weight	kg	3000	



#### Keep your products in safe!

Flexible and universal packaging solutions for many industries. From small productions to huge manufacturing areas. Our team will help you to search the optimal equipment for your production needs.





















Advantage contents applicable to carton box machine.



#### Productivity;

Provides reduction in energy consumption and cost of packaging materials.



#### Practicality;

User-friendly touch panel has 5 different operating modes and recipes.



#### Ergonomics;

It provides easy adjusment of the machine parameters by touch panel screen.



#### Protection;

Optimal protection of products from external factors, reducing damages during transportation.



#### Immutability;

It provides an uniform shape of the packaging standard for all products.



#### Flexibility;

It allows to pack workpieces with different heights, lengths and thickness.



#### Strength:

It contains the long-lasting parts for serial usage and operation.









We have strong references and partners in many countries who provide all technical service, installation, training and spare part support. Our main principle is provide the immediate support.

We are servicing at

## CONTINENTS

**WHERE**We

are



Büyükbalıklı Mah. 1. Ayça Sokak No: 6, 16110, Nilüfer / BURSA / TÜRKİYE

**\*** +90 850 308 67 41

info@eddapack.com

www.eddapack.com

