



# GIO-MATIC

*Series*


**AVK**  
GLAZING SYSTEMS

[www.avkglazing.com](http://www.avkglazing.com)

# AVK

*With High Thermal Insulation*

**PROVIDES SUPPORT TO YOUR BUDGET**



# GIO-MATIC SERIES

## Highlights




1 When all wings are in the closed position, the combination of the third wing, upper frame, and motor box.

1

The combination of the side column and the third wing when all wings are closed.



2




3 The combination of the side column and the second wing when all wings are closed.

3

The combination of the side column and the first wing when all wings are closed.



4



5 The combination of the first wing and the bottom frame when all wings are closed.

5

The combination of the wings when the system is in the closed position.




6



7 All wings are open and in a wipeable position.

7

Appearance of the second wing and side column cross-section after all wings are opened.



8



9 Appearance of the third wing and side column cross-section after all wings are opened.

9

The combination of the motor box and the upper frame when all wings are open.




10

# GIO-MATIC *Series*


 701	 702	 703	 704	 705
 706	 707	 708	 709	 710
 711	 712	 713	 714	 715
 650	 650-1	 650-2	 651	 752
 653	 753	 754	 655	 755
 756	 656	 656-1	 657	 657-1
 658	 658-1	 659	 661	 662
 663	 664	 665		

# GIO-MATIC


## Series Profiles




**GIO-MATIC LOWER-UPPER CASE PROFILE 701**  
(10000 gr - 7 mt.)




**GIO-MATIC LOWER-UPPER CASE PROFILE 702**  
(11400 gr - 5.8 mt.)




**GIO-MATIC LEAF PROFILE 703**  
(5400 gr - 7 mt.)




**GIO-MATIC FIRST LEAF ADAPTER PROFILE 704**  
(3800 gr - 5.8 mt.)




**GIO-MATIC CLAMP PROFILE 705**  
(3700 gr - 7 mt.)




**GIO-MATIC SIDE MAST ADAPTER PROFILE 706**  
(5100 gr - 5.8 mt.)




**GIO-MATIC FIRST CHANNEL PROFILE 707**  
(4900 gr - 5.8 mt.)




**GIO-MATIC SECOND CHANNEL PROFILE 708**  
(2600 gr - 5.8 mt.)




**GIO-MATIC MOVABLE HIDING COVER PROFILE 709**  
(2100 gr - 5.8 mt.)




**GIO-MATIC HAND PROTECT COVER PROFILE 710**  
(4200 gr - 7 mt.)




**GIO-MATIC MOTOR ENCLOSURE PROFILE 711**  
(10600 gr - 7 mt.)




**GIO-MATIC LOWER LEAF HINGE PROFILE 712**  
(3800 gr - 7 mt.)




**GIO-PLUS GLASS ADAPTER PROFILE 616**  
(2600 gr / 7.0 mt.)



**GIO-MATIC GLASS ADAPTER PROFILE 713**  
(1600 gr - 7 mt.)



**GIO-MATIC CHAIN PROFILE 714**  
(6000 gr - 5.8 mt.)



**GIO-MATIC MITER PROFILE 715**  
(8200 gr - 3 mt.)





# GIO-MATIC SERIES

*All Features*

-  ORIGINAL ALUMINIUM
-  ORIGINAL RAW MATERIAL ACCESSORY
-  CHAIN CARRYING SYSTEM
-  ONE MODEL OF LEAF PROFILE IN ALL GLASSES
-  MAXIMUM INSULATION WITH CLAMP PROFILES
-  FULL IMPERMEABILITY WITH WATERPROOF EPDM GASKETS
-  HAND PROTECTION PROFILE COVER
-  SINGLE POINT LOCKING MECHANISM
-  EASY TO CLEAN (ALL WINDOWS CAN BE WIPED FROM INSIDE AND OUTSIDE)
-  ENGINE INTERVENTION COVER
-  GLASS ADAPTER PROFILE SUITABLE FOR 8MM, 10MM AND 24MM GLASSES
-  CHAIN HIDING COVER
-  SOLID LEAVES PRESSED WITH MITER
-  AVAILABILITY WITH ANY BRAND ENGINE
-  DIFFERENT ELECTROSTATIC COLOR OPTIONS
-  REMOTE CONTROL FEATURE WITH SMART HOME SYSTEM