


▶▶ Plywood Edge Trimming Machine



(Advantages:

<1> Keep high accuracy for cutting and cleaning plywood edges;

<2> Diagonal lines error :0.5mm;

<3> High production capacity;

<4> Automatic loading and unloading and stacking, high automatic)

Technical Parameters

Standard Plywood Edge Trimming Machine

Model: MH-DD

Suitable plywood size: 1250*2500mm

Working speed: 40-70m/min

Power: 51.4kw

Saw blade size:

Out Diameter: 305mm

Inner diameter: 25.4mm

Working style: Infrared ray guide

Feed way:

Semi-Automatic

Weight: 6000kgs

Size: 9000*6000*1300mm

Automatic stacking

Occupied area: 4*10m

Weight: 9000kg

Size: 9000*3500*2300mm

Automatic stacking



Automatic Roller Edge Trimming Machine



(Advantages:

- <1> Keep high accuracy for cutting and cleaning plywood edges;
- <2> Diagonal lines error: 0.5mm;
- <3> High production capacity;
- <4> Automatic loading and unloading and stacking, high automatic)



Technical Parameters

Automatic Roller Edge Trimming Machine

Model: MH-DD48H

Automatic loading & stacking

Suitable plywood size: 1250*2500mm

Capacity: 11pcs

Lengthways saw motor: 7.5kw *2pcs

Lateral saw motor: 7.5kw *2pcs

Lengthways saw roller length:2500mm

Lateral saw roller length:1500mm

Thickness adjustable: 2.2kw*2pcs

Glide path saw disc: 1.5kw *4pcs

Lift table:1.5kw*1pc

Infeeding frame: 2.2kw*1pc

Transmission: 2.2kw*1pc

Pushing board: 2.2kw*1pc

Total power: 48.5kw

Weight: 13000kgs

Size: 15370*7000*1700mm

