



CorruJET

DIGITAL POST-PRINT
ON CORRUGATED BOARD






The press which the corrugated industry has been waiting for over so many years is now available from Koenig & Bauer Durst: Digital post-printing onto corrugated board with the brand new CorruJET.

Based upon extensive experience gained with the digital web press RotaJET, the CorruJET was developed specifically for the corrugated industry. A unique overall concept for digital post-print on corrugated board combining implementation of the latest technologies and functionalities with simple and intuitive handling.

The CorruJET is engineered for the highly efficient production of corrugated sheets with top-quality digital printing.

Operating with a maximum production speed of 5,500 sheets/hour, the CorruJET is able to process corrugated board up to a thickness of 8 mm.

- Modular design for four colours (CMYK)
- Water-based inks
- Fuji Dimatix Samba Piezo printing heads with variable drop size
- Pre-coater and coater integrated into the press line
- Press control via a flexible Profibus system with touchscreen interface
- Integrated error diagnostics and remote maintenance



Product information

- **Vacuum belt feeder** for ultimate precision at sheet infeed
- **Sheet cleaning** from above and below
- **Vacuum sheet transport** guarantees stable sheet travel in the press and absolute register accuracy through the whole print process
- Integrated **dryer technology**
- Flexo application of **pre-coating and coating**
- **Print resolution:** 1,200 x 1,200 or 1,200 x 600 dpi
- Integrated **data handling** (RIP and workflow)
- **Sheet infeed direction:** Hard edge fed
- **Colour model:** CMYK
- **Serial printing** and printing of individualized products are possible, subject to the installed hardware and software

Technical data

Sheet width	1,700 mm / 66.9 in
Sheet length	1,300 mm / 51.18 in (using cliché cylinder)
Sheet direction	Hard edge
Min. sheet size	750 mm x 520 mm / 29.53 in x 20.47 in
Thickness	1 – 8 mm / 0.039 – 0.315 in
Resolution	1,200 x 1,200 dpi or 1,200 x 600 dpi
Max. speed	5,500 sh/h (resolution: 1,200 x 600 dpi)
Sheet transport	Vacuum transfer
Precoater	Water-based
Ink	Water-based
Inkjet heads	Fuji Dimatix Samba Piezo, variable drop size

Koenig & Bauer Durst GmbH
Friedrich-Koenig-Straße 4
97080 Würzburg, Germany

T +49 931 909-0
F +49 931 909-4101
oliver.baar@koenig-bauer.com

koenig-bauer.com

Texts and illustrations refer in part to special features not included in the basic press price. No parts of this publication may be reproduced in any way without the manufacturer's permission. The manufacturer reserves the right to carry out modifications without prior notice.

07/2020-E
Printed in Germany