



**DISPOSABLE UROLOGY PRODUCTS**

[www.promostmedikal.com](http://www.promostmedikal.com)

# INDEX

URETERAL CATHETERS.....3

URETERAL STENT SET SHORT-TERM (STANDART DOUBLE J STENT SET).....4-5

LONG-TERM URETERAL STENT SET (LONG LIFE DOUBLE J STENTSET) .....6-7

SILICONE URETERAL STENT SET (DOUBLE J STENT SET FOR A YEAR) .....8-9

SPECIFIC URETERAL STENT SETS.....10

URETERAL ACCESS SHEATH.....11

GUIDE WIRE (ZEBRA-PTFE –HYDROPHILIC- PEBAX TIP- SUPER STIFF ).....12-13

URETERAL BASKET CATHETERS (FOR STONE EXTRACTION).....14-15

PERCUTANEOUS NEPHROSTOMY DRAINAGE SET PIGTAIL.....16

PERCUTANEOUS NEPHROSTOMY DRAINAGE SET MALECOT.....17

PERCUTANEOUS NEPHROSTOMY DRAINAGE CATHETERS ONLY.....18

URETERAL BALLOON DILATOR SETS.....19

PCNL DILATORS (AMPLATZ & BALLOON DILATORS).....20

RE-ENTRY MALECOT CATHETER .....21

INITIAL PUNCTURE NEEDLE.....21

BIOPSY NEEDLES.....22

SUPRA-PUBIC DRAINAGE SETS.....23

URDYNAMIC CATHETERS.....24

STERESS URINARY INCONTINENCE SETS (TOT-TVT) .....25

TUR-P LOOPS ELECTRODES .....26

TUR-P LOOPS CODES.....27

STERILE LUBRICANT GEL.....28

PENILE CLAMP.....28


## URETERAL CATHETER



Used for drainage, retrograde pyelogram, atraumatic entry of ureteral orifice and navigation of tortuous ureter. Catheter length 70 cm - Polyurethane material - Metal or plastic guidewire Luer adaptor - Raio - Opaque marker.

UC-O-3	0,018" GUIDE WIRE	URETERAL CATHETER OPEN TIP 3 FR 70 CM
UC-O-4	0,025" GUIDE WIRE	URETERAL CATHETER OPEN TIP 4 FR 70 CM
UC-O-5	0,035" GUIDE WIRE	URETERAL CATHETER OPEN TIP 5 FR 70 CM
UC-O-6	0,038" GUIDE WIRE	URETERAL CATHETER OPEN TIP 6 FR 70 CM
UC-O-7	0,038" GUIDE WIRE	URETERAL CATHETER OPEN TIP 7 FR 70 CM
UC-C-3	0,018" GUIDE WIRE	URETERAL CATHETER CLOSED TIP 3 FR 70 CM
UC-C-4	0,025" GUIDE WIRE	URETERAL CATHETER CLOSED TIP 4 FR 70 CM
UC-C-5	0,035" GUIDE WIRE	URETERAL CATHETER CLOSED TIP 5 FR 70 CM
UC-C-6	0,038" GUIDE WIRE	URETERAL CATHETER CLOSED TIP 6 FR 70 CM
UC-C-7	0,038" GUIDE WIRE	URETERAL CATHETER CLOSED TIP 7 FR 70 CM
UC-AO-3	0,018" GUIDE WIRE	URETERAL CATHETER ANGLED TIP 3 FR 70 CM
UC-AO-4	0,025" GUIDE WIRE	URETERAL CATHETER ANGLED TIP 4 FR 70 CM
UC-AO-5	0,035" GUIDE WIRE	URETERAL CATHETER ANGLED TIP 5 FR 70 CM
UC-AO-6	0,038" GUIDE WIRE	URETERAL CATHETER ANGLED TIP 6 FR 70 CM
UC-AO-7	0,038" GUIDE WIRE	URETERAL CATHETER ANGLED TIP 7 FR 70 CM
UC-AC-3	0,018" GUIDE WIRE	URETERAL CATHETER ANGLED BALL TIP 3 FR 70 CM
UC-AC-4	0,025" GUIDE WIRE	URETERAL CATHETER ANGLED BALL TIP 4 FR 70 CM
UC-AC-5	0,035" GUIDE WIRE	URETERAL CATHETER ANGLED BALL TIP 5 FR 70 CM
UC-AC-6	0,038" GUIDE WIRE	URETERAL CATHETER ANGLED BALL TIP 6 FR 70 CM
UC-AC-7	0,038" GUIDE WIRE	URETERAL CATHETER ANGLED BALL TIP 7 FR 70 CM

**URETERAL STENT SET SHORT TERM ( STANDART DOUBLE J STENT)**



**Features of Stents:** Manufactured by using Polyurethane which is biocompatibility tested. Pigtail Loop avoids slippage & has very good retention. Highly Radiopaque for better visualization. Smooth surface for low encrustation tendency. Indwelling period 30 – 45 days.

**Set includes:** 1 pc double j stent catheter , 1 pc 150 cm PTFE Coated guidewire, 1 pc 80 cm simple pusher, 2 pcs clamp

**Models:** Open End / Closed End  
Both End Multiloop / One End Multiloop  
Stent with Suture

**Sizes (in Fr):** 3, 4, 4.5, 4.7, 4.8, 5, 6, 7

**Length (in Cms):** 10-12-14-16-18-20-22-24-26-28-30



## CLOSED END PRODUCTS CODES

## OPEN END PRODUCTS CODES

P-USS-C-3 FR 10 CM	0,018" GUIDE WIRE	P-USS-O-3 FR 10 CM
P-USS-C-3 FR 12 CM	0,018" GUIDE WIRE	P-USS-O-3 FR 12 CM
P-USS-C-3 FR 14 CM	0,018" GUIDE WIRE	P-USS-O-3 FR 14 CM
P-USS-C-3 FR 16 CM	0,018" GUIDE WIRE	P-USS-O-3 FR 16 CM
P-USS-C-4 FR 10 CM	0,021" GUIDE WIRE	P-USS-O-4 FR 10 CM
P-USS-C-4 FR 12 CM	0,021" GUIDE WIRE	P-USS-O-4 FR 12 CM
P-USS-C-4 FR 14 CM	0,021" GUIDE WIRE	P-USS-O-4 FR 14 CM
P-USS-C-4 FR 16 CM	0,021" GUIDE WIRE	P-USS-O-4 FR 16 CM
P-USS-C-4 FR 20 CM	0,021" GUIDE WIRE	P-USS-O-4 FR 20 CM
USS-ST-C-4.5 FR 12CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 12CM
USS-ST-C-4.5 FR 14CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 14CM
USS-ST-C-4.5 FR 16CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 16CM
USS-ST-C-4.5 FR 20CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 20CM
USS-ST-C-4.5 FR 22CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 22CM
USS-ST-C-4.5 FR 24CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 24CM
USS-ST-C-4.5 FR 26CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 26CM
USS-ST-C-4.5 FR 28CM	0,028" GUIDE WIRE	USS-ST-O-4.5 FR 28CM
USS-ST-C-4.7 FR 12CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 12CM
USS-ST-C-4.7 FR 14CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 14CM
USS-ST-C-4.7 FR 16CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 16CM
USS-ST-C-4.7 FR 20CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 20CM
USS-ST-C-4.7 FR 22CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 22CM
USS-ST-C-4.7 FR 24CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 24CM
USS-ST-C-4.7 FR 26CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 26CM
USS-ST-C-4.7 FR 28CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 28CM
USS-ST-C-4.7 FR 30CM	0.035" GUIDE WIRE	USS-ST-O-4.7 FR 30CM
USS-ST-C-4.8 FR 12CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 12CM
USS-ST-C-4.8 FR 14CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 14CM
USS-ST-C-4.8 FR 16CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 16CM
USS-ST-C-4.8 FR 20CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 20CM
USS-ST-C-4.8 FR 22CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 22CM
USS-ST-C-4.8 FR 24CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 24CM
USS-ST-C-4.8 FR 26CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 26CM
USS-ST-C-4.8 FR 28CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 28CM
USS-ST-C-4.8 FR 30CM	0.035" GUIDE WIRE	USS-ST-O-4.8 FR 30CM
USS-ST-C-5 FR 16CM	0.035" GUIDE WIRE	USS-ST-O-5 FR 16CM
USS-ST-C-5 FR 20 CM	0.035" GUIDE WIRE	USS-ST-O-5 FR 20 CM
USS-ST-C-5 FR 24 CM	0.035" GUIDE WIRE	USS-ST-O-5 FR 24 CM
USS-ST-C-5 FR 26 CM	0.035" GUIDE WIRE	USS-ST-O-5 FR 26 CM
USS-ST-C-5 FR 28 CM	0.035" GUIDE WIRE	USS-ST-O-5 FR 28 CM
USS-ST-C-6 FR 16CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 16CM
USS-ST-C-6 FR 20 CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 20 CM
USS-ST-C-6 FR 24CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 24CM
USS-ST-C-6 FR 26CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 26CM
USS-ST-C-6 FR 28CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 28CM
USS-ST-C-6 FR 30CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 30CM
USS-ST-C-6 FR 32CM	0.038" GUIDE WIRE	USS-ST-O-6 FR 32CM

Please contact us for special sizes ..

**LONG LIFE URETERAL STENT SET (CARBOTHAININE COATED)**



**Features of Stents:** Manufactured by using carbothaine coated Polyurethane which is biocompatibility tested. More biocompatible and it is thermal sensitive which makes the stent soft when inserted into the body. Material gives very good patient comfort. Highly radiopaque. Indwelling period upto 180 days.

**Set includes:** 1 pc long term double j stent catheter , 1 pc 150 cm PTFE Coated guidewire, 1 pc 80 cm simple pusher , 2 pcs clamp.

**Models:** Open End / Closed End

Both End Multiloop / One End Multiloop

Stent with Suture

**Sizes (in Fr):** 3, 4, 4.5, 4.7, 4.8, 5, 6, 7

**Length (in Cms):** 10-12-14-16-18-20-22-24-26-28-30



## CLOSED END PRODUCTS CODES

## OPEN END PRODUCTS CODES

USS-LT-C-4.7 FR 12CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 12CM
USS-LT-C-4.7 FR 16CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 16CM
USS-LT-C-4.7 FR 20CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 20CM
USS-LT-C-4.7 FR 22CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 22CM
USS-LT-C-4.7 FR 24CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 24CM
USS-LT-C-4.7 FR 26CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 26CM
USS-LT-C-4.7 FR 28CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 28CM
USS-LT-C-4.7 FR 30CM	0.035" GUIDE WIRE	USS-LT-O-4.7 FR 30CM
USS-LT-C-4.8 FR 12CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 12CM
USS-LT-C-4.8 FR 14CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 14CM
USS-LT-C-4.8 FR 16CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 16CM
USS-LT-C-4.8 FR 20CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 20CM
USS-LT-C-4.8 FR 22CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 22CM
USS-LT-C-4.8 FR 24CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 24CM
USS-LT-C-4.8 FR 26CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 26CM
USS-LT-C-4.8 FR 28CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 28CM
USS-LT-C-4.8 FR 30CM	0.035" GUIDE WIRE	USS-LT-O-4.8 FR 30CM
USS-LT-C-5 FR 16CM	0.038" GUIDE WIRE	USS-LT-O-5 FR 16CM
USS-LT-C-5 FR 20 CM	0.038" GUIDE WIRE	USS-LT-O-5 FR 20 CM
USS-LT-C-5 FR 24 CM	0.038" GUIDE WIRE	USS-LT-O-5 FR 24 CM
USS-LT-C-5 FR 26 CM	0.038" GUIDE WIRE	USS-LT-O-5 FR 26 CM
USS-LT-C-5 FR 28 CM	0.038" GUIDE WIRE	USS-LT-O-5 FR 28 CM
USS-LT-C-5 FR 30 CM	0.038" GUIDE WIRE	USS-LT-O-5 FR 30 CM
USS-LT-C-6 FR 16CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 16CM
USS-LT-C-6 FR 20 CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 20 CM
USS-LT-C-6 FR 24CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 24CM
USS-LT-C-6 FR 26CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 26CM
USS-LT-C-6 FR 28CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 28CM
USS-LT-C-6 FR 30CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 30CM
USS-LT-C-6 FR 32CM	0.038" GUIDE WIRE	USS-LT-O-6 FR 32CM
USS-LT-C-7 FR 16CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 16CM
USS-LT-C-7 FR 20CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 20CM
USS-LT-C-7 FR 24CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 24CM
USS-LT-C-7 FR 26CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 26CM
USS-LT-C-7 FR 28CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 28CM
USS-LT-C-7 FR 30CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 30CM
USS-LT-C-7 FR 32CM	0.038" GUIDE WIRE	USS-LT-O-7 FR 32CM

Please contact us for special sizes.

**SILICONE URETERAL STENT SET ( FOR A YEAR)**



**Features of Stents:** Manufactured by using Silicon - Polyurethane blended biocompatible material Highly Radiopaque for better visualization & very good push ability .Can be indwelled in body upto 365 days.

**Set includes:**1 pc Silicone double j stent catheter ,1 pc 150 cm PTFE Coated guidewire , 1 pc 80 cm simple pusher -2 pcs clamp

**Models:** Open End / Closed End

Both End Multiloop / One End Multiloop

Stent with Suture

**Sizes (in Fr):** 3, 4, 4.7, 4.8, 5, 6 ,7

**Length (in Cms):** 10-12-14-16-18-20-22-24-26-28-30





**CLOSED END PRODUCT CODES**

**OPEN END PRODUCT CODES**

S-USS-C-3FR-10CM	0,018 " GIDE WIRE	S-USS-O-3FR-10CM
S-USS-C-3FR-12CM	0,018 " GIDE WIRE	S-USS-O-3FR-12CM
S-USS-C-3FR-14CM	0,018 " GIDE WIRE	S-USS-O-3FR-14CM
S-USS-C-3FR-16CM	0,018 " GIDE WIRE	S-USS-O-3FR-16CM
S-USS-C-4FR-16CM	0,018 " GIDE WIRE	S-USS-O-4FR-16CM
S-USS-C-4FR-18CM	0,018 " GIDE WIRE	S-USS-O-4FR-18CM
S-USS-C-4FR-20CM	0,018 " GIDE WIRE	S-USS-O-4FR-20CM
S-USS-C-4FR-22CM	0,018 " GIDE WIRE	S-USS-O-4FR-22CM
S-USS-C-4.7FR-24CM	0,028" GIDE WIRE	S-USS-O-4.7FR-24CM
S-USS-C-4.7FR-26CM	0,028" GIDE WIRE	S-USS-O-4.7FR-26CM
S-USS-C-4.7FR-28CM	0,028" GIDE WIRE	S-USS-O-4.7FR-28CM
S-USS-C-4.7FR-30CM	0,028" GIDE WIRE	S-USS-O-4.7FR-30CM
S-USS-C-5FR-24CM	0,035 " GIDE WIRE	S-USS-O-5FR-24CM
S-USS-C-5FR-26CM	0,035 " GIDE WIRE	S-USS-O-5FR-26CM
S-USS-C-5FR-28CM	0,035 " GIDE WIRE	S-USS-O-5FR-28CM
S-USS-C-5FR-30CM	0,035 " GIDE WIRE	S-USS-O-5FR-30CM
S-USS-C-6FR-24CM	0,035 " GIDE WIRE	S-USS-O-6FR-24CM
S-USS-C-6FR-26CM	0,035 " GIDE WIRE	S-USS-O-6FR-26CM
S-USS-C-6FR-28CM	0,035 " GIDE WIRE	S-USS-O-6FR-28CM
S-USS-C-6FR-30CM	0,035 " GIDE WIRE	S-USS-O-6FR-30CM
S-USS-C-7FR-24CM	0,038 " GIDE WIRE	S-USS-O-7FR-24CM
S-USS-C-7FR-26CM	0,038 " GIDE WIRE	S-USS-O-7FR-26CM
S-USS-C-7FR-28CM	0,038 " GIDE WIRE	S-USS-O-7FR-28CM
S-USS-C-7FR-30CM	0,038 " GIDE WIRE	S-USS-O-7FR-30CM

**Please contact us for special sizes.**

## SPECIFIC URETERAL STENT SETS

**Set includes:** 1 pc single j stent - 1pc PTFE guidewire - 1 pc simple pusher - 2 pcs clamp

PRODUCT CODES	MONO J STENT SET
MSS-ST-C-4.7 FR 90 CM	MONO J STENT SET CLOSED END 4.7 FR 90 CM
MSS-ST-C-4.8 FR 90 CM	MONO J STENT SET CLOSED END 4.8 FR 90 CM
MSS-ST-C-6 FR 90 CM	MONO J STENT SET CLOSED END 6 FR 90 CM
MSS-ST-C-7 FR 90 CM	MONO J STENT SET CLOSED END 7 FR 90 CM
MSS-ST-C-8 FR 90 CM	MONO J STENT SET CLOSED END 8 FR 90 CM
MSS-ST-O-4.7 FR90CM	MONO J STENT SET OPEN END 4.7 FR 90 CM
MSS-ST-O-4.8 FR90CM	MONO J STENT SET OPEN END 4.8 FR 90 CM
MSS-ST-O-6 FR 90 CM	MONO J STENT SET OPEN END 6 FR 90 CM
MSS-ST-O-7 FR 90 CM	MONO J STENT SET OPEN END 7 FR 90 CM
MSS-ST-O-8 FR 90 CM	MONO J STENT SET OPEN END 8 FR 90 CM



PRODUCT CODES	ENDOPYELOTOMY STENT SET
EPSS-6/12-24	ENDOPYELOTOMY STENT SET OPEN END 6 FR-12 FR 24 CM
EPSS-6/12-26	ENDOPYELOTOMY STENT SET OPEN END 6 FR-12 FR 26 CM
EPSS-6/12-28	ENDOPYELOTOMY STENT SET OPEN END 6 FR-12 FR 28 CM
EPSS-7/14-24	ENDOPYELOTOMY STENT SET OPEN END 7 FR-14 FR 24 CM
EPSS-7/14-26	ENDOPYELOTOMY STENT SET OPEN END 7FR-14 FR 26 CM
EPSS-7/14-28	ENDOPYELOTOMY STENT SET OPEN END 7FR-14 FR 28 CM

**Set includes:** 1 pc single j stent - 1pc PTFE guidewire - 1 pc simple pusher - 2 pcs clamp



PRODUCT CODES	TUMOR STENT SET
TSS-6/12-24	TUMOR STENT SET OPEN END 6 FR- 12FR 24 CM
TSS-6/12-26	TUMOR STENT SET OPEN END 6 FR- 12FR 26 CM
TSS-6/12-28	TUMOR STENT SET OPEN END 6 FR- 12FR 28 CM
TSS-7/14-24	TUMOR STENT SET OPEN END 7 FR- 14FR 24 CM
TSS-7/14-26	TUMOR STENT SET OPEN END 7 FR- 14FR 26 CM
TSS-7/14-28	TUMOR STENT SET OPEN END 7 FR- 14FR 28 CM

**Set includes:** 1 pc single j stent - 1pc PTFE guidewire - 1 pc simple pusher - 2 pcs clamp

## URETERAL ACCESS SHEATH



**Description:**Used to establish a conduit inside the ureter, during endoscopic urological procedures, the ureteral access sheath provides ureteral dilation and a continuous working channel facilitating the passage of flexible ureteroscopes and other instruments into the urinary tract.

**Design features:**Reinforced anti kink patent pathway.Transparent superior 10 cm. To avoid missing any lesion.Platinum upper end for accurate positioning under fluoroscopy. Funneled luer end for easy hand grip and suitability to fix in position

Product Code (Ürün Kodu)	Catheter Length (Kateter uzunluğu )	Catheter I.D (Kateter iç çapı)	Catheter O.D (Kateter Dış çapı)
UAS-9,5/11-35 CM	35 cm	9,5 fr	11,5 fr
UAS-9,5/11,5-40 CM	40 cm	9,5 fr	11,5 fr
UAS-9,5/11,5-45 CM	45 cm	9,5 fr	11,5 fr
UAS-9,5/11,5-50 CM	50 cm	9,5 fr	11,5 fr
UAS-9,5/11,5-55 CM	55 cm	9,5 fr	11,5 fr
UAS-10,5/13.5-35 CM	35 cm	10,5 fr	13,5 fr
UAS-10,5/13.5-40 CM	40 cm	10,5 fr	13,5 fr
UAS-10,5/13.5-45 CM	45 cm	10,5 fr	13,5 fr
UAS-10,5/13.5-50 CM	50 cm	10,5 fr	13,5 fr
UAS-10,5/13.5-55 CM	55 cm	10,5 fr	13,5 fr
UAS-12/14-35 CM	35 cm	12 fr	14 fr
UAS-12/14-40 CM	40 cm	12 fr	14 fr
UAS-12/14-45 CM	45 cm	12 fr	14 fr
UAS-12/14-50 CM	50 cm	12 fr	14 fr
UAS-12/14-55 CM	55 cm	12 fr	14 fr

## GUIDE WIRES

### HYDROPHILIC PEBAX TIP NITINOL GUIDE WIRE



First 5 cm tip is Pebax material, rest of 145 cm nitinol core & teflon coated guidewires. Hydrophilic, atraumatic and soft tip.

PTHG-S-150-35	HYDROPHILIC PEBAX TIP NITINOL CORE GUIDE WIRE 0.035" 150 CM
PTHG-S-150-38	HYDROPHILIC PEBAX TIP NITINOL CORE GUIDE WIRE 0.035" 150 CM
PTHG-A-150-35	HYDROPHILIC PEBAX TIP NITINOL CORE GUIDE WIRE 0.038" 150 CM
PTHG-A-150-38	HYDROPHILIC PEBAX TIP NITINOL CORE GUIDE WIRE 0.035" 150 CM

### PTFE COATED STAINLESS STEEL GUIDE WIRE

SSGT-S 150-0.035	PTFE COATED STAINLESS STEEL STRAIGHT 0.035" 150 CM
SSGT-S 150-0.038	PTFE COATED STAINLESS STEEL STRAIGHT 0.038" 150 CM
SSGT-J 150-0.035	PTFE COATED STAINLESS STEEL ANGLED 0.035" 150 CM
SSGT-J 150-0.038	PTFE COATED STAINLESS STEEL ANGLED 0.038" 150 CM



### SUPER STIFF GUIDE WIRE (LUNDER QUEST)

SSG-L 150-0.035	ANGLED TIP SUPER STIFF GUIDE WIRE 0.035" 150 cm
SSG-L 150-0.038	ANGLED TIP SUPER STIFF GUIDE WIRE 0.038" 150 cm
SSG-L 80-0.035	ANGLED TIP SUPER STIFF GUIDE WIRE 0.035" 80 cm
SSG-L 80-0.038	ANGLED TIP SUPER STIFF GUIDE WIRE 0.038" 80 cm



Soft and flexible distal tip , proximal side made of stiff stainless steel.

Please contact us for special diameters : 0.018"-0.021"-0.032"

## GUIDE WIRES

### ZEBRA GUIDE WIRE NITINOL CORE (BLUE/WHITE)

Used to gain access Urology tract for access and exchange of accessories


Size Diameter - 0.035 inch / 0.038 inch.Length - 150 cm.Tip - Straight / Angle . with Extra Filifom Wire. Availability - Individually packed.Sterile For single use only.

ZGW-S-150/35	ZEBRA GUIDE WIRE STRAIGHT 0.035" 150 CM HYDROPHILIC
ZGW-S-150/38	ZEBRA GUIDE WIRE STRAIGHT 0.038" 150 CM HYDROPHILIC
ZGW-A-150/35	ZEBRA GUIDE WIRE ANGLED 0.035" 150 CM HYDROPHILIC
ZGW-A-150/38	ZEBRA GUIDE WIRE ANGLED 0.038" 150 CM HYDROPHILIC



### FULL HYDROPHILIC NITINOL GUIDE WIRE BLACK

Used to gain access Urology tract for access and exchange of accessories. Size Diameter - 0.035 inch. / 0.038 inch.Availability - Individually packed.Sterile For single use ,length-150 cm.tip-straight/angled.



NHG-S 150-35	FULL HYDROPHILIC NITINOL GUIDE WIRE STRAIGHT TIP 0.035" 150 CM
NHG-S 150-38	FULL HYDROPHILIC NITINOL GUIDE WIRE STRAIGHT TIP 0.038" 150 CM
NHG-S 180-35	FULL HYDROPHILIC NITINOL GUIDE WIRE STRAIGHT TIP 0.035" 180 CM
NHG-S 180-38	FULL HYDROPHILIC NITINOL GUIDE WIRE STRAIGHT TIP 0.038" 180 CM
NHG-A 150-35	FULL HYDROPHILIC NITINOL GUIDE WIRE ANGLED TIP 0.035" 150 CM
NHG-A 150-38	FULL HYDROPHILIC NITINOL GUIDE WIRE ANGLED TIP 0.038" 150 CM
NHG-A 180-35	FULL HYDROPHILIC NITINOL GUIDE WIRE ANGLED TIP 0.035" 180 CM
NHG-A 180-38	FULL HYDROPHILIC NITINOL GUIDE WIRE ANGLED TIP 0.038" 180 CM

Please contact us for special diameters : 0.018"-0.021"-0.032"

## STONE BASKET CATHETER

### ZERO TIP STONE BASKET FOR FLEXIBLE URETERO RENOSCOPE

Used for the manipulation and removal / retrieval of ureteral stones from the bladder , renal pelvis and ureter. Also five wire configurations are available.




**Designed for Flexible Ureterorenoscopy,**

SBC-FL 1,8 -4 90	STONE BASKET (NITINOL) 4 WIRE 1.8 FR 90 CM	FLEXIBLE URS
SBC-FL 1,8-4 120	STONE BASKET (NITINOL) 4 WIRE 1.8 FR 120 CM	FLEXIBLE URS
SBC-FL 2,4-4 90	STONE BASKET (NITINOL) 4 WIRE 2.4 FR 90 CM	FLEXIBLE URS
SBC-FL 2.4-4 120	STONE BASKET (NITINOL) 4 WIRE 2.4 FR 120 CM	FLEXIBLE URS
SBC-FL 2.5-4 90	STONE BASKET (NITINOL) 4 WIRE 2.5 FR 90 CM	FLEXIBLE URS
SBC-FL 2.5-4 120	STONE BASKET (NITINOL) 4 WIRE 2.5 FR 120 CM	FLEXIBLE URS
SBC-FL 2,5-3 90	STONE BASKET (NITINOL) 3 WIRE 2,5 FR 90 CM	FLEXIBLE URS
SBC-FL 2.5-3 120	STONE BASKET (NITINOL) 3 WIRE 2,5 FR 120 CM	FLEXIBLE URS

### GRASPING FORCEPS 3 PRONG

Used to facilitate endoscopic manipulation / removal of stones and retrieval of foreign objects. Tri prong forceps are designed to be less traumatic while providing maximum grasping efficiency

GF 3W-3F-70	GRASPING FORCEPS 3 FR 70 CM
GF 3W-3F-90	GRASPING FORCEPS 3 FR 90 CM
GF 3W-3F-120	GRASPING FORCEPS 3 FR 120 CM
GF 3W-4F-70	GRASPING FORCEPS 4 FR 70 CM
GF 3W-4F-90	GRASPING FORCEPS 4 FR 90 CM
GF 3W-4F-120	GRASPING FORCEPS 4 FR 120 CM
GF 3W-5F-70	GRASPING FORCEPS 5 FR 70 CM
GF 3W-5F-90	GRASPING FORCEPS 5 FR 90 CM
GF 3W-5F-120	GRASPING FORCEPS 5 FR 120 CM



**STONE BASKET CATHETER**

Used for the manipulation and removal / retrieval of ureteral stones from the bladder , renal pelvis and ureter. 5 wire available

**STONE BASKET HELICAL TIP**

SBC-H-4W/3F-70	STONE BASKET HELICAL TIP 4 WIRES 3 FR 70 CM
SBC-H-4W/3F-90	STONE BASKET HELICAL TIP 4 WIRES 3 FR 90 CM
SBC-H-4W/3F-120	STONE BASKET HELICAL TIP 4 WIRES 3 FR 120 CM
SBC-H-4W/4F-70	STONE BASKET HELICAL TIP 4 WIRES 4 FR 70 CM
SBC-H-4W/4F-90	STONE BASKET HELICAL TIP 4 WIRES 4 FR 90 CM
SBC-H-4W/4F-120	STONE BASKET HELICAL TIP 4 WIRES 4 FR 120 CM
SBC-H-4W/5F-70	STONE BASKET HELICAL TIP 4 WIRES 5 FR 70 CM
SBC-H-4W/5F-90	STONE BASKET HELICAL TIP 4 WIRES 5 FR 90 CM
SBC-H-4W/5F-120	STONE BASKET HELICAL TIP 4 WIRES 5 FR 120 CM



**STONE BASKET TIPLESS (ZERO TIP)**

SBC-T-4W/3F-70	STONE BASKET TIPLESS 4 WIRES 3 FR 70 CM
SBC-T-4W/3F-90	STONE BASKET TIPLESS 4 WIRES 3 FR 90 CM
SBC-T-4W/3F-120	STONE BASKET TIPLESS 4 WIRES 3 FR 120 CM
SBC-T-4W/4F-70	STONE BASKET TIPLESS 4 WIRES 4 FR 70 CM
SBC-T-4W/4F-90	STONE BASKET TIPLESS 4 WIRES 4 FR 90 CM
SBC-T-4W/4F-120	STONE BASKET TIPLESS 4 WIRES 4 FR 120 CM
SBC-T-4W/5F-70	STONE BASKET TIPLESS 4 WIRES 5 FR 70 CM
SBC-T-4W/5F-90	STONE BASKET TIPLESS 4 WIRES 5 FR 90 CM
SBC-T-4W/5F-120	STONE BASKET TIPLESS 4 WIRES 5 FR 120 CM



**PERCUTANEOUS BASKET (FOR PCNL)**

Perc Baskets are used for kidney stone removal. (PCNL) cases.



PERC-B-10-38	PERCUTANEOUS BASKET CATHETER 10 FR 38 CM
PERC-B-12-38	PERCUTANEOUS BASKET CATHETER 12 FR 38 CM

**PERCUTANEOUS NEPHROSTOMY DRAINAGE SET PIGTAIL**



Used for temporary or permanent drainage & irrigation of urine from the kidney by direct puncture, in the presence of distal obstruction. Polyurethane material & Highly radiopaque for better visualization. Available with / without hydrophilic coating

**Set includes:** 1 pc pigtail catheter, 1 pc styled , 1 pc connector, 1 pc fixed disc ,

1 pc 150 cm PTFE coated j tip guidewire (for special requested **lunderquest** guidewire),


3 pcs 20 cm dilators , 1 pc scalpel, 1 pc stopcock , 1 pc chiba needle , 1 pc puncture needle

NDS-P6	NEPHROSTOMY DRAINAGE SET PIGTAIL 6 FR 25 cm
NDS-P7	NEPHROSTOMY DRAINAGE SET PIGTAIL 7 FR 25 cm
NDS-P8	NEPHROSTOMY DRAINAGE SET PIGTAIL 8 FR 30 cm
NDS-P9	NEPHROSTOMY DRAINAGE SET PIGTAIL 9 FR 30 cm
NDS-P10	NEPHROSTOMY DRAINAGE SET PIGTAIL 10 FR 30 cm
NDS-P12	NEPHROSTOMY DRAINAGE SET PIGTAIL 12 FR 30 cm
NDS-P14	NEPHROSTOMY DRAINAGE SET PIGTAIL 14 FR 30 cm
NDS-P16	NEPHROSTOMY DRAINAGE SET PIGTAIL 16 FR 30 cm

Please contact us for special sizes.



**PERCUTANEOUS NEPHROSTOMY DRAINAGE SET MALECOT**



The Malecot flower design is ideally suited for the drainage of thick viscous fluids.

Used for percutaneous placement of a malecot catheter in the renal pelvis for nephrostomy drainage.

Polyurethane material & Highly radiopaque for better visualization.

Available with / without hydrophilic coating

**Set includes:** 1 pc malecot catheter, 1 pc 150 cm PTFE coated j tip guidewire

(for special requested **lunderquest** guidewire), 1 pc styled , 1 pc connector , 1 pc fixed disc ,

3 pcs 20 cm dilators , 1 pc scalpel, 1 pc stopcock , 1 pc chiba needle , 1 pc puncture needle

NDS-M6	NEPHROSTOMY DRAINAGE SET MALECOT 6 FR 25 cm
NDS-M8	NEPHROSTOMY DRAINAGE SET MALECOT 8 FR 30 cm
NDS-M10	NEPHROSTOMY DRAINAGE SET MALECOT 10 FR 30 cm
NDS-M12	NEPHROSTOMY DRAINAGE SET MALECOT 12 FR 30 cm
NDS-M14	NEPHROSTOMY DRAINAGE SET MALECOT 14 FR 30 cm
NDS-M16	NEPHROSTOMY DRAINAGE SET MALECOT 16 FR 30 cm

Please contact us for special sizes.

**PERCUTANEOUS NEPHROSTOMY DRAINAGE CATHETERS**



**PERCUTANEOUS NEPHROSTOMY DRAINAGE CATHETER PIGTAIL**

NDC-P6	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 6 FR 25 cm
NDC-P7	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 7 FR 25 cm
NDC-P8	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 8 FR 30 cm
NDC-P9	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 9 FR 30 cm
NDC-P10	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 10FR30cm
NDC-P12	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 12FR30cm
NDC-P14	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 14FR30cm
NDC-P16	NEPHROSTOMY DRAINAGE CATHETER PIGTAIL 16FR30cm



**PERCUTANEOUS NEPHROSTOMY DRAINAGE CATHETER MALECOT**

NDC-M6	NEPHROSTOMY DRAINAGE CATHETER MALECOT 6 FR 25 cm
NDC-M7	NEPHROSTOMY DRAINAGE CATHETER MALECOT 7 FR 25 cm
NDC-M8	NEPHROSTOMY DRAINAGE CATHETER MALECOT 8 FR 30 cm
NDC-M10	NEPHROSTOMY DRAINAGE CATHETER MALECOT 10 FR 30 cm
NDC-M12	NEPHROSTOMY DRAINAGE CATHETER MALECOT 12 FR 30 cm
NDC-M14	NEPHROSTOMY DRAINAGE CATHETER MALECOT 14 FR 30 cm
NDC-M16	NEPHROSTOMY DRAINAGE CATHETER MALECOT 16 FR 30 cm
NDC-M18	NEPHROSTOMY DRAINAGE CATHETER MALECOT 18 FR 30cm




**DIRECT PUNCTURE WITH NEEDLE PIGTAIL**

DPN-6	DIRECT PUNCTURE WITH NEEDLE 6 FR
DPN-7	DIRECT PUNCTURE WITH NEEDLE 7 FR
DPN-8	DIRECT PUNCTURE WITH NEEDLE 8 FR
DPN-9	DIRECT PUNCTURE WITH NEEDLE 9 FR
DPN-10	DIRECT PUNCTURE WITH NEEDLE 10 FR
DPN-12	DIRECT PUNCTURE WITH NEEDLE 12 FR



**URETERAL BALLOON DILATOR SET**



Used for trans luminal dilation of Ureteral strictures or Ureteral dilation prior to ureteroscopy or stone manipulation.

**Set including :** 1 pc ureteral balloon dilator, 1 pc PTFE guidewire, 1 pc stopcock ,1 pc syringe.

**(According to special request ,inflation device with manometer available in the set)**

PRODUCT CODE	Balloon Diameter	Balloon Length	Shaft Length	Catheter Diameter	Burst pressure	Guide wire	Inflated Diameter
TUBD 3,5/4	4MM-12FR	4 CM	75 CM	3,5 FR	15 ATM	0,018 inch	12 fr
UBD 5/4	5MM-15FR	4 CM	75 CM	5 FR	18 ATM	0,035inch	15 fr
UBD 6/4	6MM-18FR	4 CM	75 CM	6 FR	20 ATM	0.038 inch	18 FR
UBD 6/5	6MM-18 FR	5 CM	75 CM	6 FR	20 ATM	0.038 inch	18 FR

**Note:** The product marked which TUBD 3,5/4 is trans uretereskopik product is enough to pass through the uretere renoscope canal.


## PCNL DILATORS

### AMPLATZ RENAL DILATOR SET

Used for dilation of a percutaneous tract into the Kidney for removal of stones.

**Set includes:** 8Fr 80-85 cm guiding catheter, Radiopaque Fascial dilators from 6 Fr, 8 Fr & 10 Fr with length 20cm, Radiopaque Renal dilators from 12 Fr - 30 Fr with length 30 cm, Amplatz sheath for dilators 24 Fr, 26 Fr, 28 Fr & 30 Fr of length 17 cm.

PARDS6/30	<b>PEDIATRIC AMPLATZ RENAL DILATOR SET+INTRADUCER + 4 SHAETH, 6-30 FR</b>
ARDS 6/30	AMPLATZ RENAL DILATOR SET+INTRADUCER+4 SHEAH, 6-30 FR
RS 20	AMPLATZ RENAL SHEATH 17 CM 20 FR
RS 22	AMPLATZ RENAL SHEATH 17 CM 22 FR
RS 24	AMPLATZ RENAL SHEATH 17 CM 24 FR
RS 26	AMPLATZ RENAL SHEATH 17 CM 26 FR
RS 28	AMPLATZ RENAL SHEATH 17 CM 28 FR
RS 30	AMPLATZ RENAL SHEATH 17 CM 30 FR



### PERCUTANEOUS NEPHROLITHOTOMY BALLOON DILATOR SET

Used to dilate the musculofascial tract and renal capsule establishing a nephrolithotomy tract during a percutaneous procedure.

**Set includes:** 1 pc pcnl balloon, 1 pc inner diam 30 fr 17 cm amplatz sheath, 1pc stopcock, 1pc 0.038" guidewire, (According to special request, inflation device with manometer available in the set)

Balloon Diameter	Balloon Length	Shaft Length	Catheter Diameter	Burst pressure	Guide wire
10 mm = 30 Fr	150 MM	55 cm	2.3 mm = 7 Fr	18 atm	0.038 inch

ID 20CC	INFLATION DEVICE 20 CC
PNBDS 10/15	NEPHROSTOMY BALLOON DILATATOR 10 MM 15 CM (WITH INFLATION DEVICE)
PNBD 10/15	NEPHROSTOMY BALLOON DILATATOR 10 MM 15 CM




## RE ENTRY MALECOT CATHETER



Used for internal as well as external drainage with the combination of Nephrostomy catheter with stent. Smooth Surface for ease of introduction. Highly radiopaque for better visualization. Tip design allows guide wire to be passed in ureter.

**Set Includes:** Re-Entry Malecot catheter with Plastic Straightner & Urine bag connector

PRODUCT CODE (Ürün kodu)	Catheter Diameter (Kateter çapı)	Catheter Length (Kateter uzunluğu)	Tip Length (uç segment uzunluğu)	Tip Diameter (Uç segment çapı)	Guide wire (Klavuz tel)
RE-M 10/4	10 fr	25 cm	15 cm	4 fr	0,035 "
RE-M 12/5	12 fr	25 cm	15 cm	5 fr	0,035 "
RE-M 14/6	14 fr	30 cm	17 cm	6 fr	0,038"
RE-M 16/6	16 fr	30 cm	19 cm	6 fr	0,038"
RE-M 18/8	18 fr	30 cm	19 cm	8 fr	0,038"
RE-M 20/8	20 fr	35 cm	19 cm	8 fr	0,038"
RE-M 22/8	22 fr	35 cm	19 cm	8 fr	0,038"
RE-M 24/8	24 fr	35 cm	19 cm	8 fr	0,038"



## INITIAL PUNCTURE NEEDLE

IPN18-20-2P	INITIAL PUNCTURE NEEDLE 18 G 20 CM 2 PART TROCAR TIP (0.038" GUIDEWIRE)
IPN19-20 3P	INITIAL PUNCTURE NEEDLE 19 G 20 CM 3 PART TROKAR TIP (1.CANNULA 0.035" GUIDE WIRE – 2. CANNULA 0.038" GUIDE WIRE )

## BIOPSY NEEDLE

Used to obtain multiple core Biopsies of soft tissue. For single patient use only.  
Lightweight and compact.

High-visibility under fluoroscopy and ultrasound, ability to take two-stage biopsy, easy to use.

### SEMI AUTOMATIC BIOPSY NEEDLE

SEMI-BN-16 -20	SEMI AUTOMATIC BIOPSY NEEDLE 16 G 20 CM
SEMI-BN-16-25	SEMI AUTOMATIC BIOPSY NEEDLE 16 G 25 CM
SEMI-BN-18-20	SEMI AUTOMATIC BIOPSY NEEDLE 18 G 20 CM
SEMI-BN-18-25	SEMI AUTOMATIC BIOPSY NEEDLE 18 G 25 CM



### AUTOMATIC BIOPSY NEEDLE FOR REUSABLE GUN

AUTO-BN-16-20	BIOPSY NEEDLE " FOR AUTOMATIC GUN" 16 G 20 CM
AUTO-BN-16-25	BIOPSY NEEDLE " FOR AUTOMATIC GUN" 16 G 25 CM
AUTO-BN-18-20	BIOPSY NEEDLE " FOR AUTOMATIC GUN" 18 G 20 CM
AUTO-BN-18-25	BIOPSY NEEDLE " FOR AUTOMATIC GUN" 18 G 25 CM



## SUPRA - PUBIC DRAINAGE SET

Used to provide bladder drainage by percutaneous placement of a Balloon&Pigtail Catheter  
 Set Includes : Metal Split Cannula,2 way silicone balloon Catheter or Pigtail catheter 40 cm,Scalpel ,urine bag

### SILICONE SUPRA PUBIC DRAINAGE SET WITH BALLOON CATHETER

SSDS-M 08	SILICONE SUPRA PUBIC DRAINAGE SET METAL CANNULA 08 FR
SSDS-M 10	SILICONE SUPRA PUBIC DRAINAGE SET METAL CANNULA 10 FR
SSDS-M 12	SILICONE SUPRA PUBIC DRAINAGE SET METAL CANNULA 12 FR
SSDS-M 14	SILICONE SUPRA PUBIC DRAINAGE SET METAL CANNULA 14 FR
SSDS-M 16	SILICONE SUPRA PUBIC DRAINAGE SET METAL CANNULA 16 FR

2 WAY SILICONE BALLOON CATHETER




### SUPRA PUBIC DRAINAGE SET PIGTAIL ( J TIP )

SDS-J 08	SUPRA PUBIC DRAINAGE SET PIGTAIL (J TIP) 8 FR
SDS-J 10	SUPRA PUBIC DRAINAGE SET PIGTAIL (J TIP) 10 FR
SDS-J 12	SUPRA PUBIC DRAINAGE SET PIGTAIL (J TIP) 12 FR
SDS-J 14	SUPRA PUBIC DRAINAGE SET PIGTAIL (J TIP) 14 FR
SDS-J 16	SUPRA PUBIC DRAINAGE SET PIGTAIL (J TIP) 16 FR

PIGTAIL TIP



## URODYNAMIC CATHETERS




Urodynamic catheter is used to estimate changes that occur inside the bladder and or the urethra during filling or voiding. Promost urodynamic catheter is either 2 lumens for cystometric pressure change monitoring or 3 lumen to monitor urethral pressure. Rectal urodynamic catheter is used to estimate abdominal pressure changes during filling or voiding. Promost rectal urodynamic catheter has 1 or 2 lumen.

UD-R1-04-L	Single lumen urodynamic rectal catheter 4.0 fr Latex balloon
UD-R1-04,5-L	Single lumen urodynamic rectal catheter 4.5 fr Latex balloon
UD-R1-05-L	Single lumen urodynamic rectal catheter 5.0 fr Latex balloon
UD-R2-09-L	Double lumen urodynamic rectal catheter 9 fr Latex balloon
UD-R2-10-L	Double lumen urodynamic rectal catheter 10 fr Latex balloon
UD-R2-11-L	Double lumen urodynamic rectal catheter 11 fr Latex balloon
UD-R2-12-L	Double lumen urodynamic rectal catheter 12 fr Latex balloon
UD-2-06	Double lumen urodynamic cystometric catheter 6.0 fr
UD-2-07	Double lumen urodynamic cystometric catheter 7.0 fr
UD-2-08	Double lumen urodynamic cystometric catheter 8.0 fr
UD-2-09	Double lumen urodynamic cystometric catheter 9.0 fr
UD-2-10	Double lumen urodynamic cystometric catheter 10.0 fr

### DUAL LUMEN URETERAL CATHETER

Used to insert guide wire and inject contrast simultaneously. The tapered tip enables the dilation of ureter.

DLUC-7	DUAL LUMEN URETERAL CATHETER 7 FR 50 CM
DLUC-8	DUAL LUMEN URETERAL CATHETER 8 FR 50 CM
DLUC-10	DUAL LUMEN URETERAL CATHETER 10 FR 50CM
DLUC-12	DUAL LUMEN URETERAL CATHETER 12FR 50CM





**STRESS URINARY INCONTINENCE PRODUCT (TOT-TVT)**



Aqua is an implantable, mid-urethral support sling system device, indicated for the treatment of female SUI. Vaginal tape tension-free feature :Non -absorbable polypropylene-Macropore knitting-Resistance to tensile strength-Atraumatic edges-A low elasticity coefficient-Easy to install-Long term efficiency-Immediate initial fixation –Range 70 Microns .


P-VT 10450	Promost Sui Vaginal Bladder Sling 10x450 mm
P-VT 12450	Promost Sui Vaginal Bladder Sling 12x450 mm
P-VT 13450	Promost Sui Vaginal Bladder Sling 13x450 mm
P-TOT-K 10450-1	Promost Sui Trans Opturator Tape Sling Kit One Handle 10x450 mm
P-TOT-K 12450-1	Promost Sui Trans Opturator Tape Sling Kit One Handle 12x450 mm
P-TVT-K 10450-1	Promost Sui Trans Vaginal Tape Sling Pubic Kit One Handle 10x450 mm
P-TVT-K 12450-1	Promost Sui Trans Vaginal Tape Sling Pubic Kit One Handle 12x450 mm
P-TOT-K 10450-2	Promost Sui Trans Opturator Tape Sling Kit Two Handle 10x450 mm
P-TOT-K 12450-2	Promost Sui Trans Opturator Tape Sling Kit Two Handle 12x450 mm
P-TVT-K 10450-2	Promost Sui Trans Vaginal Tape Sling Pubic Kit Two Handle 10x450 mm
P-TVT-K 12450-2	Promost Sui Trans Vaginal Tape Sling Pubic Kit Two Handle 12x450 mm
P-MS-B	Promost Mini Sling
P-MN-K1	Promost Mini Sling Kit One Handle
P-SK	Promost Cystocele Kit Two Handle 40x80x60x310mm
P-RK	Promost Rectocele Kit Two Handle

**TUR-P LOOS ELECTRODES FOR PROSTATE SURGERY**




(Used in prostate surgery monopolar loops).


**Cutting Loop**




**Cold Knife Electrode**



**Ball Tip Sphere Electrode**



**Collins Knife**



**Roller Electrode**



**Spike Roller Electrode**



## MONOPOLAR (TUR-P) ELECTRODE CODES

### SINGLE STEM STORZ

W-SC-24 FR	CUTTING LOOP 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SC-27 FR	CUTTING LOOP 27 FR 1 STEM	STORZ RESECTOSCOPE
W-SZ-24 FR	COLLINS KNIFE 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SR-24 FR	ROLLER ELECTRODE 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SB-24 FR	BALL ELECTRODE 3 mm 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SS-24 FR	BALL ELECTRODE 5 mm 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SK-24 FR	KRILOKTRODE 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SP-24 FR	COLD KNIFE 24 FR 1 STEM	STORZ RESECTOSCOPE
W-SN-24 FR	NECKLACE 24FR 1 STEM	STORZ RESECTOSCOPE
W-SW-24 FR	SPIKE 3mm 24FR 1 STEM	STORZ RESECTOSCOPE
W-SV-24 FR	SPIKE 5mm 24FR 1 STEM	STORZ RESECTOSCOPE

### DOUBLE STEM STORZ

W-DC-24 FR	CUTTING LOOP 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DC-27 FR	CUTTING LOOP 27 FR 2 STEM	STORZ RESECTOSCOPE
W-DZ-24 FR	COLLINS KNIFE 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DR-24 FR	ROLLER ELECTRODE 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DB-24 FR	BALL ELECTRODE 3 mm 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DS-24 FR	BALL ELECTRODE 5 mm 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DK-24 FR	KRILOKTRODE 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DP-24 FR	COLD KNIFE 24 FR 2 STEM	STORZ RESECTOSCOPE
W-DN-24 FR	NECKLACE 24FR 2 STEM	STORZ RESECTOSCOPE
W-DW-24 FR	SPIKE 3mm 24FR 2 STEM	STORZ RESECTOSCOPE
W-DV-24 FR	SPIKE 5mm 24FR 2 STEM	STORZ RESECTOSCOPE

### SINGLE STEM WOLF

W-WC-24 FR	CUTTING LOOP 24 FR 1 STEM 12 DEGREE 15 DEGREE	WOLF RESECTOSCOPE
W-WZ-24 FR	COLLINS KNIFE 24 FR 1 STEM 12 DEGREE 15 DEGREE	WOLF RESECTOSCOPE
W-WR-24 FR	ROLLER ELECTRODE 24 FR 1 STEM 12 DEGREE 15 DEGREE	WOLF RESECTOSCOPE
W-WB-24 FR	BALL ELECTRODE 3 mm 24 FR 1 STEM 12 DEGREE 15 DEGREE	WOLF RESECTOSCOPE
W-WS-24 FR	SPHARE ELECTRODE 5 mm 1 STEM 12 DEGREE 15 DEGREE	WOLF RESECTOSCOPE
W-WK-24 FR	KRILOKTRODE 24 FR 2 STEM 12 DEGREE 15 DEGREE	WOLF RESECTOSCOPE

### SINGLE STEM OLYMPUS

W-OC-24 FR	CUTTING LOOP 24 FR 1 STEM 12 DEGREE	OLYMPUS RESECTOSCOPE
W-OZ-24 FR	COLLINS KNIFE 24 FR 1 STEM 12 DEGREE	OLYMPUS RESECTOSCOPE
W-OR-24 FR	ROLLER ELECTRODE 24 FR 1 STEM 12 DEGREE	OLYMPUS RESECTOSCOPE
W-OB-24 FR	BALL ELECTRODE 3 mm 24 FR 1 STEM 12 DEGREE	OLYMPUS RESECTOSCOPE
W-OS-24 FR	SPHARE ELECTRODE 5 mm 1 STEM 12 DEGREE	OLYMPUS RESECTOSCOPE
W-OK-24 FR	KRILOKTRODE 24 FR 2 STEM 12 DEGREE	OLYMPUS RESECTOSCOPE
W-LC-24 FR	CUTTING LOOP 24 FR 1 STEM 30 DEGREE	OLYMPUS RESECTOSCOPE
W-LZ-24 FR	COLLINS KNIFE 24 FR 1 STEM 30 DEGREE	OLYMPUS RESECTOSCOPE
W-LR-24 FR	ROLLER ELECTRODE 24 FR 1 STEM 30 DEGREE	OLYMPUS RESECTOSCOPE
W-LB-24 FR	BALL ELECTRODE 3 mm 24 FR 1 STEM 30 DEGREE	OLYMPUS RESECTOSCOPE
W-LS-24 FR	SPHARE ELECTRODE 5 mm 1 STEM 30 DEGREE	OLYMPUS RESECTOSCOPE
W-LK-24 FR	KRILOKTRODE 24 FR 2 STEM 30 DEGREE	OLYMPUS RESECTOSCOPE

## PLASMAKINETIC (TUR-P) LOOP ELECTRODES










PRM-B-GC-24Fr-	Plasmakinetic Cutting Loop Electrode – Thin 24Fr - 15°	Gyrus system Compatible
PRM-B-GCF-24Fr-	Plasmakinetic Cutting Loop Flattened Electrode 24Fr - 90°	Gyrus system Compatible
PRM-B-GCB-24Fr	Plasmakinetic Ball Tip Electrode 24Fr	Gyrus system Compatible

## BIPOLAR (TUR-P) LOOP ELCTRODES

	0.4mm	B-SC-24Fr	Cutting Electrode - 24Fr - 30° Yellow (L) & Blue (R) for Branch & Red for Stem
	Dome Electrode	B-SP-24Fr	Plasma Button Electrode - 24Fr Grey for Branch & White for Stem
			<b>Storz Single Stem Bipolar - Specific for Customer</b>
	925125, 0.9%	B-SC-24Fr-90°	Cutting Electrode - 24Fr - 90° Yellow (L) & Blue (R) for Branch & Red for Stem
	Pro MIS 0.9%	B-SB-24Fr	Ball Ø3mm Electrode - 24Fr - 30° Yellow (L) & Blue (R) for Branch & Red for Stem
			<b>Storz Double Stem Bipolar- Compared with Standard</b>
	26040 JB 24CH	PRM-B-DC-24Fr-0°	Cutting Electrode - 24Fr - 0° Yellow
	011151-01 24/26CH	B-DC-24Fr-16°	Cutting Electrode - 24Fr - 16° Yellow
	27040 GP 24CH	PRM-B-DC-24Fr-20°	Cutting Electrode - 24Fr - 20° Yellow

	26040 JB 24CH	B-DC-24Fr- 45°	Cutting Electrode - 24Fr - 45° Yellow
	27040 GPV 24CH	B-DC-24Fr- 90°	Cutting Electrode - 24Fr - 90° Yellow
	27040 BLV 24CH	B-DJ-24Fr- 90°	Collins Knife Electrode - 24Fr - 90° with Projected Return Path Yellow
	27040 BL 24CH	B-DZ-24Fr- 90°	Collins Knife Electrode - 24Fr - 90° Yellow
	011156-01 24/26CH	B-DB-24Fr	Ball Pivot Electrode - 24Fr - 30° Yellow
			<b>Storz Double Stem Bipolar - Specific for Customer</b>
	U-2305- 28z 24Fr	B-DC-24Fr- 20°R2-370	Cutting Electrode - 24Fr - 20° with Small Return Path Yellow
	-	B-DC-24Fr- 20°-370	Cutting Electrode - 24Fr - 20° with 370microns Yellow
	-	B-DS-24Fr	Square Cutting Electrode - 24Fr - 90° Yellow
	UGY15090 25	B-DC-24Fr- 20°-SG	Cutting Electrode - 24Fr - 20° with Single Guide Yellow
	Indovasive	B-DC-24Fr- 12°R2	Cutting Electrode - 24Fr - 12° with Small Return Path Yellow
	27040 GP1 24/26CH	B-DC-24Fr- R3	Cutting Electrode - 24Fr - 30° with curved Return Path Yellow
			<b>Bipolar Olympus Compatible</b>
	WA22507 D 00,9% NaCl	B-OC-24Fr- 30°L	Cutting Electrode - 24Fr - 30° Large Blue (L) & Yellow (R) for Branch & Red for Stem
	WA22332 D 12° 0,9% NaCl	B-OC-24Fr- 45°-300	Cutting Electrode - 24Fr - 45° Blue (L) & Grey (R) for Branch & White for Stem
	WA22558 C 0,9% NaCl	B-OC-24Fr- 45°R-300	Cutting Electrode - 24Fr - 45° with Runner Blue (L) & Grey (R) for Branch, Green for Runner & White for Stem

	WA22503 D 12° 0,9% NaCl	B-OC-24Fr- 90°L-300	Cutting Electrode - 24Fr - 90° Large Blue (L) & Yellow (R) for Branch & White for Stem
	WA22557 C 0,9% NaCl	B-OP-24Fr	Plasma Button Electrode - 24Fr - 90° Blue (L) & Grey (R) for Branch & White for Stem
	WA22355 C 0,9% NaCl	B-ON-24Fr	Needle Electrode - 24Fr - 30° Blue (L) & Grey (R) for Branch & White for Stem
			<b>Olympus Bipolar - Specific for Customer</b>
	-	B-ON-24Fr- 90°	Needle Electrode - 24Fr - 90° Blue (L) & Grey (R) for Branch & White for Stem
	-	B-OC-24Fr- 90°-300	Cutting Electrode - 24Fr - 90° with 300microns Brown (L) & Yellow (R) for Branch & Red for Stem
	-	B-OS-24Fr	Ball Ø5mm Electrode - 24Fr - 30° Brown (L) & Yellow (R) for Branch & Red for Stem
			<b>Bipolar Wolf Compateble</b>
	4622,131	PRM-B-WC- 22Fr-90°	Cutting Electrode - 22Fr - 90° Yellow
	4630024 0.9% NaCl	B-WP-22Fr	Plasma Button Electrode - 22Fr Blue


## PENILE CLAMP

Used to control urinary incontinence for male.

PC-90	PENILE CLAMP 90 MM
PC-75	PENILE CLAMP 75 MM



## URETERAL ACCESS SHEATH WITH SUCTION



Ureteral Access sheath with suction is specifically engineered to offer effective and efficient treatment for urinary Stones through negative pressure aspiration. This is achieved by utilizing an oblique side port on the Access sheath. With its high stone clearance rate it effectively reduces intraluminal pressure in the urinary tract, preventing stone retropulsion and enhancing the visual field. This innovative design eliminates the need for stone baskets, forceps or any anti-retropulsion devices, saving valuable operating time during the procedure.

Ureteral Access sheath with suction includes with Access sheath stone collection bottle, silicone connectin tube and a rubber cap

Product Code	Catheter Length	Catheter I.D	Catheter O.D
UAS-S-9,5/11,5-35 CM	35 cm	9,5 fr	11,5 fr
UAS-S-9,5/11,5-40 CM	40 cm	9,5 fr	11,5 fr
UAS-S-9,5/11,5-45 CM	45 cm	9,5 fr	11,5 fr
UAS-S-9,5/11,5-50 CM	50 cm	9,5 fr	11,5 fr
UAS-S-9,5/11,5-55 CM	55 cm	9,5 fr	11,5 fr
UAS-S-10,5/12,5-35 CM	35 cm	10,5 fr	12,5 fr
UAS-S-10,5/12,5-40 CM	40 cm	10,5 fr	12,5 fr
UAS-S-10,5/12,5-45 CM	45 cm	10,5 fr	12,5 fr
UAS-S-10,5/12,5-50 CM	50 cm	10,5 fr	12,5 fr
UAS-S-10,5/12,5-55 CM	55 cm	10,5 fr	12,5 fr
UAS-S-12/14-35 CM	35 cm	12 fr	14 fr
UAS-S-12/14-40 CM	40 cm	12 fr	14 fr
UAS-S-12/14-45 CM	45 cm	12 fr	14 fr
UAS-S-12/14-50 CM	50 cm	12 fr	14 fr
UAS-S-12/14-55 CM	55 cm	12 fr	14 fr







Selamet Mah. Vardar Cad. Ecevit Sinem 2 İş Merkezi No:5 D.35 Osmangazi / BURSA  
info@promostmedikal.com

[www.promostmedikal.com](http://www.promostmedikal.com)