

Guangdong Transtek Medical Electronics Co.,Ltd
广东乐心医疗电子股份有限公司

Head Office Add: 4th Floor, Fiyta Hi-tech Building, No. 2 Gaoxin South 1st Road, Nanshan District, Shenzhen City, Guangdong Province, China
Manufacturing Add: Zone B, No.105, Dongli Road, Torch Development District, Zhongshan City, Guangdong Province, China
Tel A : 0086-0755-86358904 Tel B : 0086-0760-88282982 E-mail : info@transtekmed.com

TRANSTEK

— We Inspire · We Deliver —

Blood Pressure Monitor

PRODUCT CATALOG



01

Company Profile 01-06

02

Upper Arm Type 07-26

03

Wrist Type 27-34

04

Our Services 35-36

Contents

01

Company Profile

About Us


Founded in 2000, Transtek is a renowned listed enterprise specializing in OEM, ODM, and JDM services. Recognized for its excellence in design and quality. Transtek is a trusted leader in the production of smart healthcare devices, including smart scales, blood pressure monitors, glucose monitors, hearing aids, ECG devices, patient monitors, and other medically certified products.

Driven by a commitment to innovation, Transtek has made substantial investments in research and development, solidifying its competitive edge in the industry. By embracing cutting-edge technologies, Transtek continually delivers smarter and more advanced solutions tailored to meet the needs of an evolving global market.

To align with market demands, Transtek has strategically implemented its IDEA TO VALUE approach, seamlessly transforming ideas into scalable, high-quality products. This methodology ensures efficiency, scalability, and innovation, empowering Transtek to deliver comprehensive solutions to its partners and clients.



Transtek Global Layout



International Credentials

Medical Level certification



Environmental Report



Company System Certification



02

Upper Arm Type

BBY36-BT Compare

New



- Support bluetooth
- 5.5 inches large screen
- Data comparison
- Morning blood pressure
- Support guest mode

Dimension: 191.35x103.33x54.2mm
LCD V.A.: 124x76mm
Power source: 4xAA
Cuff size: 22-32/22-42cm

2 Users×250

Guest mode

BP classification indicator

Morning blood pressure

Voice Announcement

Movement indicator

Cuff fit indicator

Irregular heartbeat indicator

Data Comparison

Average of last 3 values

Type-C USB

Specific fault reminder

Bluetooth



Options



BBY36-BT Trend

New



- Support bluetooth
- 5.5 inches large screen
- BP Trend Displayed in Color
- Morning blood pressure
- Support guest mode

Dimension: 191.35x103.33x54.2mm
LCD V.A.: 124x76mm
Power source: 4xAA
Cuff size: 22-32/22-42cm

2 Users×250

Guest mode

BP classification indicator

BP trend

Movement indicator

Cuff fit indicator

Irregular heartbeat indicator


Bluetooth

Average of weekly

Type-C USB

Voice Announcement

Specific fault reminder




BBY31-BT


New

- Support bluetooth
- Support voice announcement
- 2 user of 250 memories with toggle switch


Dimension: 105x149.4x60.6mm
LCD V.A.: 86x77.8mm
Power source: 4xAAA
Cuff size: 22-32/22-42cm




2 Users×250




BP classification indicator




Voice Announcement




Bluetooth




Movement indicator




Cuff fit indicator




Irregular heartbeat indicator



Average of last 3 values



Type-C USB



Backlight




BBZ32-AA01


New

- Competitive price
- Portable and small


Dimensions: 121.3×98.8×44.5 mm
LCD V.A.: 54.7×74.5mm
Power source: 4×AAA
Cuff Size: 22-32/22-42 (optional)




1 User×99




BP classification indicator




Voice Announcement




Backlight




Movement indicator




Cuff fit indicator




Irregular heartbeat indicator



Deflation measurement



Average of last 3 values




Bluetooth




TMB-2296-BT

- Medical grade accuracy
- Innovative compact design
- Voice announcement
- LED display
- Dual-color LED BP Indicator


Dimension: 123×44×22mm
LCD V.A.: 72×22mm
Power source: Chargeable Lithium battery
Cuff size: 22-32/22-42cm




2 Users×199




LED display




Dual-color LED BP indicator




Voice Announcement




Movement indicator




Cuff fit indicator




Irregular heartbeat indicator




Chargeable Lithium battery




Inflation measurement



Average of last 3 values



Type-C USB



Bluetooth



Small and exquisite



Options




TMB-2288-BT




- Medical grade accuracy
- BP trend
- Voice announcement
- Innovative design
- Super large screen


Dimension: 178×101×42.9mm
LCD V.A.: 124×76mm
Power source: 4×AA or 5V1A Type-C USB Cable
Cuff size: 22-32/22-42/22-45cm




2 Users×250




Guest mode




BP classification indicator




BP trend




Backlight




Movement indicator




Cuff fit indicator




Irregular heartbeat indicator




Specific fault reminder




Bluetooth




Inflation measurement



Average of last 7 days



Type-C USB



Voice Announcement



Validated for Pregnancy & Diabetic

*Need to be used with 22-45cm cuff



Options



TMB-2271-BK

Hot 🔥



- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Impressive shape and design

Dimension: 100×129×45mm
LCD V.A.: 60×64mm
Power source: 4×AAA or 5V1A Type-C USB Cable
Cuff size: 22-32/22-42/22-45cm

2 Users×199

Guest mode

BP classification indicator

Bluetooth

Movement indicator

Cuff fit indicator

Irregular heartbeat indicator

Backlight

Inflation measurement

Average of last 3 values

Type-C USB



Options



TMB-2284-BT

Hot 🔥



- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Voice announcement

Dimension: 100×132×47mm
LCD V.A.: 59×72.5mm
Power source: 4×AAA or 5V1A Type-C USB Cable
Cuff size: 22-32/16-36/22-42/22-45cm

2 Users×199

Guest mode

BP classification indicator

Voice Announcement

Movement indicator

Cuff fit indicator

Irregular heartbeat indicator

Backlight

Inflation measurement

Average of last 3 values

Type-C USB

Bluetooth



Options



TMB-2275-B

Hot 🔥



- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Triple measurement

Dimension: 100×138×48.6mm

LCD V.A.: 70×82mm

Power source: 4×AAA or 5VIA Type-C USB Cable

Cuff size: 22-32/22-42/22-45cm

2 Users×199	Guest mode	BP classification indicator	Bluetooth
Movement indicator	Cuff fit indicator	Irregular heartbeat indicator	Backlight
Inflation measurement	Average of last 3 values	Type-C USB	Triple measurement



Options



TMB-2287-B



Support XL cuff size

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection

Dimension: 140×130×50mm

LCD V.A.: 60.5×92.5mm

Power source: 4×AAA or 5VIA Type-C USB Cable

Cuff size: 22-32/22-42/22-45/40-52cm

2 Users×199	BP classification indicator	Backlight	Bluetooth
Movement indicator	Cuff fit indicator	Irregular heartbeat indicator	
Inflation measurement	Average of last 3 values	Type-C USB	



Options



TMB-2283

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Impressive shape and design

Dimension: 110×110×41mm

LCD V.A.: 40.5×60mm

Power source: 4×AAA batteries

Cuff size: 22-32/22-42cm



2 Users×99



Guest mode



BP classification indicator



Movement indicator



Cuff fit indicator



Irregular heartbeat indicator



Inflation measurement



TMB-2273-BT

- Medical grade accuracy
- BP Trend with 24H & weekly
- Voice announcement
- Innovative design
- Super large screen

Dimension: 150×129×44mm

LCD V.A.: 124×76mm

Power source: **Chargeable lithium battery**

Cuff size: 22-32/22-42/22-45cm



2 Users×250



Guest mode



BP classification indicator



BP trend



Specific fault reminder



Movement indicator



Cuff fit indicator



Irregular heartbeat indicator



Backlight



Bluetooth



Inflation measurement



Average of last 24H or weekly



Type-C USB



Voice Announcement



Customized blood pressure alert



Validated for Pregnancy & Diabetic




TMB-2272




- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator


Dimension: 122×122×62mm
LCD V.A.: 60.5×92.5mm
Power source: 4×AAA or 5V1A Type-C USB Cable
Cuff size: 22-32/22-42/22-45cm




2 Users×199




Guest mode




BP classification indicator




Movement indicator




Cuff fit indicator




Irregular heartbeat indicator



Inflation measurement



Average of last 3 values



Type-C USB



Options




TMB-1970-ZY




- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Big buttons, comfortable experience


Dimension: 102×107×40mm
LCD V.A.: 52×58mm
Power source: 4×AAA batteries
Cuff size: 22-32/22-42cm




2 Users×199




Guest mode




BP classification indicator




Movement indicator




Cuff fit indicator



Irregular heartbeat indicator



Inflation measurement




Average of last 3 values




TMB-1775-ZY

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator


Dimension: 108×120×68.5mm
LCD V.A.: 50×65mm
Power source: 4×AAA batteries
Cuff size: 22-32/22-42/22-45cm




2 Users×199




BP classification indicator




Movement indicator




Cuff fit indicator



Irregular heartbeat indicator



Inflation measurement




Average of last 3 values




TMB-1776-BZY

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- Equipped with silent pump, offers quiet comfortable measurement experience to users


Dimension: 140×110×65mm
LCD V.A.: 58.5×80mm
Power source: 4×AAA or 5V1A Type-C USB Cable
Cuff size: 22-32/22-42cm




2 Users×199




BP classification indicator




Backlight




Bluetooth




Movement indicator




Cuff fit indicator




Irregular heartbeat indicator



Inflation measurement



Average of last 3 values



Type-C USB



TMB-2276-BT



- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Voice announcement
- Small and exquisite

Dimension: 93×130×32.5mm
LCD V.A.: 60×74mm
Power source: 4×AAA or 5V1A Type-C USB Cable
Cuff size: 22-32/22-42/22-45cm

2 Users×199	Guest mode	BP classification indicator	Bluetooth
Movement indicator	Cuff fit indicator	Irregular heartbeat indicator	Voice Announcement
Inflation measurement	Average of last 3 values	Type-C USB	Backlight



LS808-BS



- BP classification indicator
- Irregular heartbeat indicator
- Movement indicator

Dimension: 131×73×29mm
LCD V.A.: 24×86mm
Power source: Chargeable lithium battery
Cuff size: 22-42cm

2 Users×60	BP classification indicator	Backlight
Movement indicator	Irregular heartbeat indicator	Average of last 3 values
Inflation measurement	Bluetooth	Chargeable Lithium battery



03

Wrist Type


TMB-1117-SN

Hot 🔥


EU-MDR ✓ NMPA MHRA

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values


Dimension: 62×88×28mm
LCD V.A.: 31.5×44mm
Power source: 2×AAA batteries
Cuff size: 13.5-21.5cm




2 Users×99




BP classification indicator




Inflation measurement



Movement indicator



Irregular heartbeat indicator



Average of last 3 values




TMB-1975


CE 0123 MHRA

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values


Dimension: 79×60×20mm
LCD V.A.: 29×36mm
Power source: 2×AAA batteries
Cuff size: 13.5-21.5cm




2 Users×99




BP classification indicator




Inflation measurement



Movement indicator



Irregular heartbeat indicator




Average of last 3 values




TMB-2285-BT

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values
- Voice announcement


Dimension: 85×60×23mm
LCD V.A.: 43×46mm
Power source: 2×AAA batteries
Cuff size: 13.5-21.5cm




2 Users×199




Guest mode




BP classification indicator




Voice Announcement




Movement indicator




Irregular heartbeat indicator




Average of last 3 values




Advanced positioning indicator



Inflation measurement



Bluetooth



Backlight

FDA

NMPA

CE 0123

MHRA




Options




TMB-1598-BS

- Position sensor detection, which assists user to test at correct wrist postion


Dimension: 86×66×22mm
LCD V.A.: 33×45mm
Power source: 2×AAA batteries
Cuff size: 13.5-21.5cm




2 Users×60




BP classification indicator




Backlight




Movement indicator




Irregular heartbeat indicator



Bluetooth



Inflation measurement



Average of last 3 values

FDA

CE 0123

MHRA



TMB-1581-ZY


- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values

Dimension: 85×67×23mm


LCD V.A.: 32×45mm

Power source: 2×AAA batteries


Cuff size: 13.5-21.5cm




1 User×199




BP classification indicator




Movement indicator



Irregular heartbeat indicator



Inflation measurement



Average of last 3 values



TMB-988-S


- BP classification indicator
- Irregular heartbeat indicator
- ESH clinically validated

Dimension: 73×67.5×22.5mm


LCD V.A.: 35×41mm

Power source: 2×AAA batteries


Cuff size: 13.5-21.5cm




1 User×60




BP classification indicator



Inflation measurement



Movement indicator



Irregular heartbeat indicator



LS810-S

- Chargeable Lithium battery


Dimension: 80×73×13mm

LCD V.A.: 36.5×46.5mm


Power source:

Chargeable lithium battery


Cuff size: 13.5-21.5cm




2 Users×60




BP classification indicator




Chargeable Lithium battery




Backlight



Irregular heartbeat indicator



Inflation measurement



Average of last 3 values



04

Transtek: Empowering Health Through Innovation

At Transtek, we are committed to redefining healthcare through innovation, precision, and expertise. Since our founding in 2000, we have emerged as a trusted partner to healthcare providers and businesses worldwide, offering a comprehensive portfolio of cutting-edge solutions ranging from smart scales and blood pressure monitors to glucose monitors, hearing aids, ECG devices, and advanced patient monitoring systems.

As a listed enterprise, Transtek operates at the intersection of technology and healthcare, combining world-class research and development with unparalleled manufacturing capabilities. Our mission is to enable healthier lives by delivering transformative solutions that address critical health challenges and empower patients and providers alike.

Innovation as Our Core

Innovation drives everything we do. Through significant investment in research and development, we continuously push the boundaries of what's possible in medical technology. By embracing the latest advancements in AI, IoT, and digital health, we create smarter, more connected solutions that enhance healthcare outcomes and improve quality of life.

A Partner from IDEA TO VALUE

Transtek's IDEA TO VALUE approach ensures seamless collaboration with our partners from initial design and prototyping to large-scale manufacturing. This strategy not only accelerates time-to-market but also maintains the highest standards of quality, scalability, and efficiency, making Transtek a partner of choice for healthcare innovators globally.

Global Presence, Local Impact

With a strong international footprint, Transtek delivers solutions that cater to the unique needs of diverse markets. By adhering to stringent regulatory requirements and quality standards, we ensure that our products meet the expectations of healthcare providers and regulatory agencies worldwide.

Shaping the Future of Healthcare

Transtek is driven by a bold vision: to lead the transformation of global healthcare through technology. By anticipating the needs of tomorrow, we remain steadfast in our commitment to creating solutions that not only treat but also empower, inspire, and sustain healthier communities across the globe.