



OTX-BKPATBEK


Technical Specifications

- With 4 qts Food Lamp with Hood
- Potato Putting and Salting Area
- In GN Tray
- 4 Way Empty Package Area
- Enclosed Doors and Multiply Doors

- APPROVED
 APPROVED AS NOTED
 RESUBMIT

AUTHORIZED SIGNATURE

DATE



MODEL	HEIGHT (cm)	WIDTH (cm)	DEPTH (cm)	WEIGHT (kg)
OTX-BKPATBEK	86.5	90	45/60	48

Required clearances

Top: 3,56 cm
Sides: 1,52 cm
Back: 1,52 cm
Front: 7,62 cm

Laboratory certifications



MODEL	OTX-BKPATBEK
TOTAL ELECTRICITY POWER (KW)	1.5
ELEKTRICITY SUPPLY VOLTAGE (VAC)	220 V
WORKING FREQUENCY (Hz)	50 – 60
SUPPLY CABLE, NUMBER OF SEAM (Number of Seam X mm²)	4x2,5 + 2,5 (N) + 1,5 (Gr)
DIMENSIONS (Width x Length x Heigth cm)	90x60x86.5
NOMINAL CURRENT (A)	16 A
UP THERMOSTAT INTERVAL (°C)	50 – 200
DOWN THERMOSTAT INTERVAL (°C)	30 – 110
NET WEIGTH (kg)	48
MAX INCLINATION	5°