



Technical Specifications			
Model	MY1200	MY1300	MY1500
Max. Paper Size	1200 x 780mm	1300 x 960mm	1500 x 1100mm
Min. Paper Size	350 x 350mm	400 x 400mm	500 x 400mm
Max. Die-Cutting Size	1180 x 760mm	1280 x 940mm	1480 x 1080mm
Max. Speed	0-5000sh/h	0-4600sh/h	0-4000sh/h
Max. Working Pressure	300T	300T	300T
Sheet Thickness	1-7mm	1-7mm	1-7mm
Die-Cutting Precision	±0.5mm	±0.5mm	±0.5mm
Total Power	15KW	15KW	19KW
Total Weight	11500kg	13000kg	16000kg
Overall Dimension	5150 x 4000 x 2145mm	5670 x 4100 x 2145mm	6100 x 4600 x 2205mm

**Technical Specifications**

Model	QMY1200P	QMY1300P	QMY1500P
Max. Sheet Size	1200 x 780mm	1300mm x 960mm	1500mm x 1100mm
Min. Sheet Size	350 x 350mm	400mm x 400mm	500mm x 400mm
Max. Cutting Size	1180 x 760mm	1280 x 940mm	1480 x 1080mm
Speed	0-5000p/hr	0-4600p/hr	0-4000p/hr
Weight	18000kg	19000kg	21000kg
Motor Power	32.5KW	32.5KW	36.5KW
Sheet Thickness	1-7mm	1-7mm	1-7mm
Die-Cutting Pressure	300T	300T	300T
Die-Cutting Precision	±0.5mm	±0.5mm	±0.5mm
Power Supply	3-380V(50Hz)	3-380V(50Hz)	3-380V(50Hz)
Dimensions	8600 x 4000 x 2350mm	9100 x 4250 x 2345mm	9600 x 4700 x 2400mm

AUTOMATIC DIE-CUTTING & CREASING MACHINE (with Stripping Unit)
TAM OTOMATİK AYIKLAMALI OLUKLU KESİM MAKİNASI

ISCANEX®



Technical Specifications		
Model	QMY1300P	QMY1500P
Max. Sheet Size	1300mm x 960mm	1500mm x 1100mm
Min. Sheet Size	400mm x 440mm	400mm x 440mm
Speed	0-5000sheets/hour	0-4500sheets/hour
Dimensions	9100 x 4250 x 2350mm	9600 x 4700 x 2400mm
Weight	18T	19T
Motor Power	22.5KW	27.5KW
Sheet Thickness	1-7mm	1-7mm
Die-Cutting Pressure	300T	300T
Die-Cutting Precision	±0.5mm	±0.5mm
Electric Source	Three phase AC380 Four Wire	Three phase AC380 Four Wire

**Technical Specifications**

Model	QTM1300	QTM1450	QTM1650
Max. Sheet Size	1300mmx1300mm	1450mmx1450mm	1650mmx1600mm
Min. Sheet Size	500mmx440mm	500mmx440mm	500mmx440mm
Thickness of Face Paper	120~450g/m ²	120~450g/m ²	120~450g/m ²
Thickness of Bottom Paper	ABCEF 3&5 Ply	ABCEF 3&5 Ply	ABCEF 3&5 Ply
Max. Speed	153pcs/min	153pcs/min	153pcs/min
Laminating Precision	±0.75mm	±0.75mm	±0.75mm
Total Weight	8700kg	9500kg	10500kg
Total Length	10700 mm	12000 mm	13000 mm
Operation Space	3000 x 13500mm	3100 x 13500	3200 x 13500
Power	3~380V(50Hz)	3~380V(50Hz)	3~380V(50Hz)
Total Power	18.2KW	18.2KW	20.2KW

AUTOMATIC FLUTE LAMINATOR and FLIP FLOP MACHINE
OTOMATİK OLUKLU LAMİNASYON, ÇEVİRME ve İSTİFLEME MAKİNASI

ISCANEX®



Technical Specifications			
Model	QTM1300	QTM1450	QTM1650
Max. Sheet Size	1300 x 1300mm	1450 x 1450mm	1650 x 1650mm
Min. Sheet Size	500 x 440mm	500 x 440mm	500 x 440mm
Min. Collection Thickness	70mm	70mm	70mm
Max. Collection Thickness	120mm	120mm	120mm
Thickness of Face Paper	120-450g/m ²	120-450g/m ²	120-450g/m ²
Thickness of Bottom Paper	ABCEF 3&5 Ply	ABCEF 3&5 Ply	ABCEF 3&5 Ply
Max. Speed	153m/min	153m/min	153m/min
Front Lay Laminate Error	±0.75mm	±0.75mm	±0.75mm
Pile Height	1600-1700mm	1600-1700mm	1600-1700mm
Total Weight	12700kg	14500kg	16500kg
Total Length	19000mm	21500mm	22200mm
Operation Space	21000 x 3000 x 2650mm	23500 x 3100 x 2650mm	25000 x 3200 x 2650mm
Total Power	25KW	25KW	25KW
Power Supply	3-380V(50Hz)	3-380V(50Hz)	3-380V(50Hz)

**Technical Specifications**

Model	BKJ1307	BKJ1310
Max. Sheet Size	1300mm x 720mm	1300mm x 1000mm
Min. Sheet Size	500mm x 400mm	500mm x 400mm
Thickness of face Paper	100~800g/m ²	100~800g/m ²
Thickness of Bottom Paper	180~800g/m ²	180~800g/m ²
Max. Speed	150pcs/min	120pcs/min
Laminate Error	±0.5m/m	±0.5m/m
Total Weight	7000kg	7000kg
Total Length	10.5m	10.5m
Operation Space (mm)	3000 x 13500mm	3000 x 13500mm
Power	3~380V(50Hz)	3~380V(50Hz)

HIGH SPEED AUTOMATIC PRINTED BOX FOLDER GLUER (Long Folding Part)
YÜKSEK HIZLI OTOMATİK KUTU YAPIŞTIRMA MAKİNASI (Uzun Katlama Parçalı)

ISCANEX®



Technical Specifications

Model	JHH-1050	JHH-1450
Material	Cardboard: 300-600g E	300-600g or E flute cardboard
Max. Linear Speed	200m/min	200m/min
Cataplasm	Water Base - Cold Glue	
Power Supply	3P 380V 50Hz	3P 380V 50Hz
Main Motor Power	11KW	11KW
Total Power	15KW	17KW
Machine Weight	6.5T	8.5T
Overall Dimension	14000 x 1300 x 1900mm	15000 x 1300 x 2300mm

**Technical Specifications**

Model	JHXDB-2000	JHXDB-2800
Max. Cardboard	900 x 1900mm	900mm x 2600mm
Min. Cardboard	250 x 700mm	300mm x 850mm
Installation Area	2600 x 1000 +3900 x 2300mm	3500 x 12000+3900 x 2300mm
Power Required	7.9+3.5KW	7.9+3.5KW