

Dinamix & DinamixBAR



Dinamix



DinamixBAR



Teknik Özellikler Technical Data	Enerji Girişi (Vac) Power Supply	Motor (Vdc) Motor	Motor Gücü (W) Motor Power	Açma Süresi (sec) Opening Time	Kol (m) Bar
 Dinamix 4000 DinamixBar 4000	230	24	190	4	4
 Dinamix 5000 DinamixBar 5000	230	24	190	5	5
 Dinamix 6000 DinamixBar 6000	230	24	190	6 - 8	6
 Dinamix 7000 DinamixBar 7000	230	24	190	6 - 8	7



KONTROL ÜNİTELERİ / CONTROL UNIT



G24 KONTROL KARTI(24V)
G24 CONTROL CARD(24V)

AKSESUARLAR / ACCESSORIES



TR4 / F FİX KOD KUMANDA (4 KANAL)
TR4 / F FİX CODE REMOTE CONTROL (4 Chn.)



TR4 / F FİX KOD KUMANDA (4 KANAL)
TR4 / F FİX CODE REMOTE CONTROL (4 Chn.)



TR4 ROLLING KOD KUMANDA (4 KANAL)
TR4 ROLLING CODE REMOTE CONTROL (4 Chn.)



ZAR4 ROLLING KOD KUMANDA (4 KANAL)
ZAR4 ROLLING CODE REMOTE CONTROL (4 Chn.)



A-FLA LED FLAŞÖR (230-24 V)
A-FLA LED FLASHING LIGHT (230-24 V)



MF FOTOŞEL
MF PHOTOCELL



BT180 PİLLİ FOTOŞEL
BT180 PHOTOCELL WITH BATTERY



RF433 FİX KOD HARİCİ ALICI (230- 24 V)
RF433 FIX CODE EXTERNAL RECEIVER (230-24 V)




RF433 ROLLING KOD HARİCİ ALICI (230- 24 V)
RF433 ROLLING CODE EXTERNAL RECEIVER (230-24 V)



HARİCİ ANTEN
EXTERNAL ANTENNA



LOOP DEDEKTÖR 1 KANAL
LOOP DETECTOR 1 Chn.



AKÜ KİT
BATTERY KİT



BASTON AYAK
MOBILE STAND FOR BARS



KOL KIRILMA APARATI
JOINT FOR BARS



SAÇAK (2M)
CURTAIN (2M)

KING Serisi



Teknik Özellikler Technical Data	Enerji Girişi (Vac) Power Supply	Motor (Vdc/Vac) Motor	Motor Gücü (Nm) Stall Torque	Hız (cm/sec) Speed	Max. Kapı Ağırlığı (kg) Max. Weight Of Gate
r-tec KING524F	230	24	2.95	50-60	500
r-tec KING1224F	230	24	4.15	40-50	1200
r-tec KING500	230	230	200	17	500
r-tec KING1000	230	230	400	17	1000
r-tec KING1500	230	230	750	17	1500
r-tec KING2000	230	230	750	17	2000
r-tec KING2500I	230	380	750	0.67	2000
r-tec KING4000	380	380	2200	0.21	4000



KONTROL ÜNİTELERİ / CONTROL UNIT



G24 KONTROL KARTI (24V)
G24 CONTROL CARD (24V)



r-tec 220 KONTROL KARTI (220V)
r-tec 220 CONTROL CARD (220V)



I380 KONTROL KARTI (380V)
I380 CONTROL CARD (380V)

AKSESUARLAR / ACCESSORIES



TR4 / F FİX KOD KUMANDA (4 KANAL)
TR4 / F FIX CODE REMOTE CONTROL (4 Chn.)



TR4 / F FİX KOD KUMANDA (4 KANAL)
TR4 / F FIX CODE REMOTE CONTROL (4 Chn.)



TR4 ROLLING KOD KUMANDA (4 KANAL)
TR4 ROLLING CODE REMOTE CONTROL (4 Chn.)



ZAR4 ROLLING KOD KUMANDA (4 KANAL)
ZAR4 ROLLING CODE REMOTE CONTROL (4 Chn.)



A-FLA LED FLAŞÖR (230-24 V)
A-FLA LED FLASHING LIGHT (230-24 V)



MF FOTOŞEL
MF PHOTOCCELL



BT180 PİLLİ FOTOŞEL
BT180 PHOTOCCELL WITH BATTERY



RF433 FİX KOD HARİCİ ALICI (230- 24 V)
RF433 FIX CODE EXTERNAL RECEIVER (230-24 V)




RF433 ROLLING KOD HARİCİ ALICI (230- 24 V)
RF433 ROLLING CODE EXTERNAL RECEIVER (230-24 V)



HARİCİ ANTEN
EXTERNAL ANTENNA



LOOP DEDEKTÖR 1 KANAL
LOOP DEDECTOR 1 Chn.



AKÜ KİT
BATTERY KİT



PLASTİK KRAEMEYER DİŞLİ (ROA6)
PLACTIC RACK (ROA6)



ÇELİK KRAEMEYER DİŞLİ (ROA8)
STEEL RACK (ROA8)



ÇELİK KRAEMEYER DİŞLİ (ROA 10-12)
STEEL RACK (ROA 10-12)



JET24



PRINCE 400

PRINCE 600



COUPER 24

Teknik Özellikler Technical Data	Motor (Vdc) Motor	Motor Gücü (W) Motor Power	Hız (cm/sec) Speed	Max.Kapı Genişliği (M) Max.Width of Gate	Max. Kapı Ağırlığı (kg) Max. Weight Of Gate
r-tec COUPER 24	24	80	1,3 - 1,6	2	125
r-tec JET 24	24	50	1,3 - 1,6	3	300
r-tec PRINCE 400	24	120	1,6 - 2,0	3	200
r-tec PRINCE 600	24	120	1,6 - 2,0	4	400



KONTROL ÜNİTELERİ / CONTROL UNIT



GATE 24 KONTROL ÜNİTESİ(24V)
GATE24 CONTROL UNIT(24V)



GATE 220 KONTROL ÜNİTESİ(220V)
GATE 220 CONTROL UNIT(220V)

AKSESUARLAR / ACCESSORIES



TR4 / F FIX KOD KUMANDA (4 KANAL)
TR4 / F FIX CODE REMOTE CONTROL (4 Chn.)



TR4 / F FIX KOD KUMANDA (4 KANAL)
TR4 / F FIX CODE REMOTE CONTROL (4 Chn.)



TR4 ROLLING KOD KUMANDA (4 KANAL)
TR4 ROLLING CODE REMOTE CONTROL (4 Chn.)



ZAR4 ROLLING KOD KUMANDA (4 KANAL)
ZAR4 ROLLING CODE REMOTE CONTROL (4 Chn.)



A-FLA LED FLAŞÖR (230-24 V)
A-FLA LED FLASHING LIGHT (230-24 V)



MF FOTOSEL
MF PHOTOCELL



BT180 PİLLİ FOTOSEL
BT180 PHOTOCELL WITH BATTERY



RF433 FIX KOD HARİCİ ALICI (230- 24 V)
RF433 FIX CODE EXTERNAL RECEIVER (230-24 V)




RF433 ROLLING KOD HARİCİ ALICI (230- 24 V)
RF433 ROLLING CODE EXTERNAL RECEIVER (230-24 V)



HARİCİ ANTEN
EXTERNAL ANTENNA



LOOP DEDEKTÖR 1 KANAL
LOOP DEDECTOR 1 Chn.



AKÜ KİT
BATTERY KİT



ELEKTRİKLİ KİLİT YATAY (12 V)
HORIZONTAL ELECTRO LOCK (12 V)



ELEKTRİKLİ KİLİT DÜŞEY (12 V)
VERTICAL ELECTRO LOCK (12 V)